## Polk Library UW Oshkosh Offers List August '16 Offers List #7 Uncataloged Michael Watkins watkins@uwosh.edu

|                   | Michael Watkins Watkins@uwosn.edu   |
|-------------------|---|
| I 28.7: 676       | Energy Requirments and Equilibria in the Dehydtation, Hydrolysis, and D   |
| I 28.7: 677       | Detonators: Initiating Efficiency by the Miniature-Cartridge Test         |
| I 28.7: 679       | Analyses of Ash From Coals of the United States                           |
| I 28.7: 680       | Resins in CoalResins in CoalResins in CoalResins in CoalResins in Coal    |
| I 28.7: 681       | Relative Spontaneous Heating Tendencies of Coals                          |
| I 28.7: 682       | Analyses of Alaska Coals Analyses of Alaska Coals                         |
| I 28.7: 685       | Procedure an Apparatus for Determining Carbonizing Properties of Amer     |
| I 28.7: 687       | Exploration, Composition, and Washing Burning and Gas-Producer Tests      |
| I 28.7: 689       | Washing Characteristic of the Pittsburgh Caol in a High-Sulfue Area in Gi |
| I 28.7: 690       | Hydrogenation and Liquefaction of Coal                                    |
| I 28.7: 691       | Carbonizing Properties of Eagle-Bed Coal From Prospect Shaft, Carbon,     |
| I 28.7: 692       | Carbonizing Properties of Western Coals                                   |
| I 28.7: 694       | Prospecting for Minerlization in Steeply Dipping Beds Covered by Glacial  |
| I 28.7: 695       | Carbonizing Properties of Velva Lignite From Ward County, N. Dakota, a    |
| I 28.7: 696. 699  | Analyses of Arizona, California, Idaho, Nevada, and Oregon Coals          |
| I 28.7: 697       | Carbonizing Properties of Elkhorn No. 3-Bed Coal From Wheelwrigth Min     |
| I 28.7: 698       | Bibliography of Bureau of Mines Investigations of Coal and Its Products 1 |
| I 28.7: 699       | Exploration, Reserves, Bed Characteristics and Strip-Moimg Possiblities   |
| I 28.7: 702       | Effect of Oxidation Upon the Carbonizing Properties of Pochontas no. 3 a  |
| I 28.7: 703       | Carbonizing Properties of Hill-Bed Coal From Hickey No. 1 Mine on Look    |
| I 28.7: 704       | Dust Problems in the Mines of the Pennsylvania Anthracite Region          |
| I 28.16/2: Sa 1/2 | Safety and Environmental Health Handbook                                  |
| I 28.18/3: 46     | Burner Fuel Oils, 1966Burner Fuel Oils, 1966Burner Fuel Oils, 1966        |
| I 28.18/3: 53     | Motor Gasolines, Summer 1967Motor Gasolines, Summer 1967                  |
| I 28.18/3: 54     | Aviation Turbine Fuels, 1967Aviation Turbine Fuels, 1967                  |
| I 28.18/3: 55     | Motor Gasolines, Winter 1967-68Motor Gasolines, Winter 1967-68            |
| I 28.18/3: 56     | Burner Fuel Oils, 1968Burner Fuel Oils, 1968Burner Fuel Oils, 1968        |
| I 28.18/3: 57     | Diesel Fuel Oils, 1968Diesel Fuel Oils, 1968Diesel Fuel Oils, 1968        |
| I 28.18/3: 58     | Motor Gasolines, Summer 1968Motor Gasolines, Summer 1968                  |
| I 28.18/3: 59     | Aviation Turbine Fuels, 1968Aviation Turbine Fuels, 1968                  |
| I 28.18/3: 60     | Motor Gasolines, Winter 1968-69Motor Gasolines, Winter 1968-69            |
| I 28.18/3: 61     | Burner Fuel Oils, 1969Burner Fuel Oils, 1969Burner Fuel Oils, 1969        |
| I 28.18/3: 62     | Diesel Fuel Oils, Summer 1969Diesel Fuel Oils, Summer 1969                |
| I 28.18/3: 63     | Motor Gasolines, Summer 1969Motor Gasolines, Summer 1969                  |
| I 28.18/3: 64     | Aviation Fuels, 1969Aviation Fuels, 1969Aviation Fuels, 1969              |
| I 28.18/3: 65     | Diesel Fuel Oils, Winter 1969-1970Diesel Fuel Oils, Winter 1969-1970      |
| I 28.18/3: 66     | Motor Gasolines, Winter 1969-1970Motor Gasolines, Winter 1969-1970        |
| I 28.18/3: 67     | Burner Fuel Oils, 1970Burner Fuel Oils, 1970Burner Fuel Oils, 1970        |
| I 28.18/3: 68     | Motor Gasolines, Summer 1970Motor Gasolines, Summer 1970                  |
| I 28.18/3: 69     | Aviation Turbine Fuels, 1970Aviation Turbine Fuels, 1970                  |
| I 28.18/3: 70     | Motor Gasolines, Winter 1970-1971Motor Gasolines, Winter 1970-1971        |
| I 28.18/3: 71     | Burner Fuel Oils, 1971Burner Fuel Oils, 1971Burner Fuel Oils, 1971        |
| I 28.18/3: 72     | Diesel Fuel Oils, Summer 1972Diesel Fuel Oils, Summer 1972                |
| I 28.18/3: 73     | Motor Gasolines, Summer 1971 Motor Gasolines, Summer 1971                 |
| I 28.18/3: 74     | Aviation Turbine Fuels, 1971Aviation Turbine Fuels, 1971                  |
| I 28.18/3: 75     | Motor Gasolines, Winter 1971-1972Motor Gasolines, Winter 1971-1972        |
| I 28.18/3: 76     | Burner Fuel Oils, 1972Burner Fuel Oils, 1972Burner Fuel Oils, 1972        |
| I 28.18/3: 77     | Diesel Fuel Oils, 1972Diesel Fuel Oils, 1972Diesel Fuel Oils, 1972        |
| I 28.18/3: 78     | Motor Gasolines, Summer 1972Motor Gasolines, Summer 1972                  |

| 100 40/0 70        | A '-1' T   1' F -1   4070A '-1' T   1' F   1-4070                         |
|--------------------|---|
| I 28.18/3: 79      | Aviation Turbine Fuels, 1972Aviation Turbine Fuels, 1972                  |
| I 28.18/3: 80      | Motor Gasolines, Winter 1972-73Motor Gasolines, Winter 1972-73            |
| I 28.18/3: 81      | Burner Fuel Oils, 1973Burner Fuel Oils, 1973Burner Fuel Oils, 1973        |
| I 28.18/3: 82      | Diesel Fuel Oils, 1973Diesel Fuel Oils, 1973Diesel Fuel Oils, 1973        |
| I 28.18/3: 83      | Motor Gasolines, Summer 1973Motor Gasolines, Summer 1973                  |
| I 28.18/3: 84      | Aviation Turbine Fuels, 1973Aviation Turbine Fuels, 1973                  |
| I 28.18/3: 85      | Motor Gasolines, Winter 1972-3-74Motor Gasolines, Winter 1972-3-74        |
| I 28.18/3: 86      | Burner Fuel Oils, 1974Burner Fuel Oils, 1974Burner Fuel Oils, 1974        |
| I 28.18/3: 87      | Diesel Fuel Oils, 1974Diesel Fuel Oils, 1974Diesel Fuel Oils, 1974        |
| I 28.18/3: 88      | Motor Gasoline, Summer 1974Motor Gasoline, Summer 1974                    |
| I 28.18/3: 89      | Aviation Turbine Fuels Aviation Turbine Fuels Aviation Turbine Fuels      |
| I 28.23: 3217      | Estimate of the Gas Reservs of the Oklahoma City Oil Field, Oklahoma C    |
| I 28.23: 3313      | Extent and Availability fo Natural Gas Reserves in Michigan "Stray" Sand  |
| I 28.23: 3316      | Petroleum Engineering Report, Big Spring Field and Other Fields in West   |
| I 28.23: 3330      | Engineering Report on Oklahoma City Oil Field, Oklahoma                   |
| I 28.23: 3334      | Application of Sand Filters to Oil-Field Brine-Disposal Systems           |
| I 28.23: 3338      | Estimate of Natural-Gas Reserves From the Layton, Oolitic, and Oswego     |
| I 28.23: 3346      | Analyses of Crude Oils From Some Fields of Michigan                       |
| I 28.23: 3347      | Hardening of Mud Sheates in Contact With Oil, and a Suggested Method      |
| I 28.23: 3410      | Porosity of Sundance Sand in the Lance Creek Oil Fiels, Wyoming           |
| I 28.23: 3456      | Reservoir Characteristics of the Eunice Oil Field, Lea Conty, N. Mex.     |
| 1 28.23: 3460      | Ocular Photocell for the Rapid Determination of Projected Area of Opaqu   |
| I 28.23: 3466      | Oxidation of Carbon Monoxide and Hydrogen by Bacteria                     |
| I 28.23: 3474      | Properties of a Petroleum-Reservoir Liquid and its Residua With Applicat  |
| I 28.23: 3494      | Flocculation as An Aid in the Clarification of Coal Washery Water         |
| I 28.23: 3540      | Measuremnts of Compressibilit of Consolidated Oil-Bearing Sandstones      |
| I 28.23: 3568      | Asphalts From Some Wyoming and Other Asphalt-Bearing Crude Oils           |
| I 28.23: 3715      | Engineering Study of the Rodessa Oil Field in Louisiana, Texas, and Arka  |
| I 28.23: 3721      | Analine Points of Hydrocarbons Analine Points of Hydrocarbons             |
| 1 28.23: 3722      | Inflammability and Explosivity of Metal Powders                           |
| I 28.23: 3724      | Cooperative Investigation of te Effect of Furnace tupe and Atmosphere or  |
| I 28.23: 3726      | Effect of Acids and Alkalies Upon Carbonization Products of Coal          |
| I 28.23: 3727      | Inflammability and Methylene Chloride-Oxygen-Ntirogen Mixtures            |
| I 28.23: 3728      | History of Water Flooding of Oil Sands in Oklahoma                        |
| 1 28.23: 3728 c. 2 | History of Water Flooding of Oil Sands in Oklahoma                        |
| 128.23: 3720 c. 2  | Air Flow at Discharge of Fan-Pipe Lines in Mines                          |
| I 28.23: 3731      | Coke from Low-Ash Appalacian Coals for Carbon Electrodes in Aluminun      |
| 1 28.23: 3732      | Application of the Rosin-Rammler Lae to the "Missing Sizes" in Screened   |
| 1 28.23: 3733      | Tests of the Heliopore Coal-Carbonization Power-Plant Process             |
| 1 28.23: 3734      | Grounding Electrical quipment in and About Coal Mines                     |
| 1 28.23: 3735      | National Motor-Gasoline Survey, Summer 1943                               |
| 1 28.23: 3736      | •   |
| 1 28.23: 3737      | Active List of Permissible Explosives and Blasting Devices Approves Pre   |
|                    | Thermal Analysis of Clay Minerals and Acid Extraction of Alumina from C   |
| 1 28.23: 3738      | Modern Beehive Coke-Oven Practice I. Preliminary Report                   |
| 1 28.23: 3739      | Precision of the Volatile-Matter Determination for Anthracite, Low-Tempe  |
| I 28.23: 3740      | Beneficiation of Del Monte (Calif.) Sand                                  |
| I 28.23: 3741      | Limits of Inflammability and Ignition temperatures of Acetic Anhydride    |
| 1 28.23: 3742      | Control of Sulfur and Ash in Mine-Run Metallurgical Coal Part I           |
| 1 28.23: 3745      | Studies of Explosives and Explosions, Fiscal Year 1943                    |
| 1 28.23: 3746      | Precipitation of Copper From an Acid Mine Water                           |
| 1 28.23: 3747      | Equilibria in the Reducation of Chromic Oxide by Carbon, and Their Rela   |
| I 28.23: 3748      | Low-Temperature Distillation Yields of Primary Tar and Light Oil from Coa |
|                    |   |

| 1 28.23: 4252 | Investigation of Arkansas Bauxite Volume II                                  |
|---------------|--|
| 1 28.23: 4254 | Investigation of Arkansas Bauxite Volume IV                                  |
| 1 28.23: 4255 | Investigation of Arkansas Bauxite Volume V                                   |
| I 28.23: 4521 | Bauxite Investigation, Euraula District Barbour and Henry Counties, Ala.     |
| I 28.23: 4538 | Investigation of the Andersonville Bauxite District, Sumpter, Macon, and     |
| 1 28.23: 4586 | Magnetic Surveys in the Iron Springs District Iron County, Utah              |
| I 28.23: 4651 | synthetic Liquid Fuels Annual Report of the Secretary of the Interior for 19 |
| l 28.23: 4652 | Synthetic Liquid Fuels Annual Report of the Secretary of the Interior for 1  |
| l 28.23: 5356 | Rock Breakage by Explosives Rock Breakage by Explosives                      |
| I 28.23: 6132 | Spectrochemical Determination of Beryillium in Mineral Beneficiation Pro-    |
| I 28.23: 6819 | Analyses of Crude Oils From 546 Important Oilfields in the United States     |
| I 28.23: 7041 | Electrical Resistivity of Fly Ash at Temperatures to 1,550 degrees F         |
| I 28.23: 7051 | Oil Yields of Sections of Green River Oil Shale in Colorado, 1957-63         |
| l 28.23: 7056 | Waterflooding of Oilfields in Nebraska                                       |
| I 28.23: 7059 | Sulfur Content of Crude Oils of the Free World                               |
| I 28.23: 7060 | Physcial Strenght of Iron Ore Pellets At Elevated Temperatures               |
| I 28.23: 7061 | Initiation of Spherical Detonation in Acetylene-Oxygen Mixtures              |
| I 28.23: 7062 | Optical Properties of Glass: Transmission Losses of Eyepieces Used in N      |
| I 28.23: 7063 | Vapor Pressures of liquid Molybdenum (2,8980 degress to 2,990 Degrees        |
| I 28.23: 7064 | Kinetics of Formation of Carbon Dioxide and Carbon from Carbon Monox         |
| I 28.23: 7065 | Piezoelectric Pulsing Equipment for Shear Wave Velocity Measurement i        |
| I 28.23: 7066 | Thermodynamics of Nonlinear Electromagnetic-Fluid Systems                    |
| I 28.23: 7067 | Performance of the Hydrocyclone as A Fine-Coal Cleaner                       |
| I 28.23: 7068 | Methods for Productin Alumina form Anorthosite                               |
| I 28.23: 7069 | Parameters Affecting Reduction-Induration of Unfired Magnetite Pellets       |
| I 28.23: 7070 | New England Beryillium InvestigationsNew England Beryillium Investigat       |
| I 28.23: 7071 | Oil Yields of Green River Oil Shale from Colorado Corehole No. 1             |
| I 28.23: 7072 | Extraction nof 8-Hydroxyquinoline Complexess Of Trace Elements From          |
| I 28.23: 7073 | High-Temperature Heat Contents and Entropies of Dehydrated Analcite,         |
| I 28.23: 7074 | Diesel Exhaust Contamination of Tunnel Air                                   |
| I 28.23: 7075 | Revegetation Studies at Three Strip-Mine Sites in North-Central Pennsylv     |
| I 28.23: 7076 | Equations for Calculating Various Thermodynamic Functions of the Two-        |
| l 28.23: 7077 | Performance of Open-Circuit Self-Contained Breating Apparatus at -25 d       |
| I 28.23: 7078 | Investigation of Flame Propagation Characteristics in Layered Gas Mixtur     |
| I 28.23: 7079 | Recovery of Alumina and Iron From Pacific Northwest Bauxites by the Pe       |
| I 28.23: 7080 | Kinetics of the Initial Reduction Stages of Magnetite in Hydrogen            |
| I 28.23: 7081 | Liquidus Temperatures of Titaniferous Slags                                  |
| l 28.23: 7082 | An Electrolytic Process for Separating Nicket and Cobalt                     |
| I 28.23: 7083 | Liquidus Temperatures of Titaniferous Slags                                  |
| l 28.23: 7084 | Storage Stability of GasolineStorage Stability of Gasoline                   |
| l 28.23: 7085 | Face Ventilation in Undergroung Bituminous Coal Mines                        |
| I 28.23: 7086 | Properties of Anthracite From the Bottom Ross Bed                            |
| l 28.23: 7088 | Low-Temperature Chlorination of Ferrochromium                                |
| l 28.23: 7089 | Evaluation of Rolling Slavs of Zinc-Copper-Titanium Alloys Case Under S      |
| I 28.23: 7090 | Hydraulic Coal Mining ResearchHydraulic Coal Mining Research                 |
| I 28.23: 7091 | Effects of Adding Rare-Earth Silicides, Aluminum, and Cryolite to Molten     |
| I 28.23: 7092 | Changes in Breaking Strength of Model Rock Pillars Resulting From End        |
| I 28.23: 7093 | Dependence of Coking Time on Coal Propertied and Carbonization Parai         |
| I 28.23: 7094 | Measurement of Oleic Acid on Mineral Surfaces Using A Radioactive Tra        |
| I 28.23: 7095 | A Method of Measuring Surface Texture of Rock                                |
| I 28.23: 7096 | Determination of the Heat of Formation of Vanadiu Trichloride                |
| l 28.23: 7097 | Two Borehole Photograpy Goniometers  |
|               |  |

| 100 00. 7000      | Durdisted Describe of Olembar Association Ocale at Law Describe for Oaks    |
|-------------------|---|
| 1 28.23: 7098     | Predicted Results of Cleaning Appalacian Coals at Low Density for Sulful    |
| I 28.23: 7099     | Modifies Redlich-Kwong Equations for Hydrogen and for Neon                  |
| I 28.23: 7100     | Extraction Behavior of Cerium-Group Lanthanides in a Primary Amine-ch       |
| I 28.23: 7101     | Evaluation of Continuous Recording X-Ray Ash Meter q                        |
| I 28.23: 7102     | Evaluation of Synthetic Organic Flocculants in the Treatment of Coal Ref    |
| I 28.23: 7103     | Limits of Flame Propagation of Coal Dust-methane-air Mixtures               |
| I 28.23: 7104     | Analyses of Tipple and Delivered Samples of Coal                            |
| I 28.23: 7105     | Analyzing Midget Impinger Dust Samples With an Electric Counter             |
| I 28.23: 7106     | A High-Temperature, Two-Phase Extraction Technique for Tungsten Min         |
| I 28.23: 7107     | Ferrite Control by Cobalt Additions to a Semisustenitic Stainless Steel     |
| I 28.23: 7108     | Sampling and Analysis of Flue Gas for Oxided of Sulfur and Nitrogen         |
| I 28.23: 7109     | Recovery Percentage of Bituminous Coal Deposits in the United States        |
| I 28.23: 7110     | Dewatering Coal Flotation Tailing by the Admixture of Crushed Water Re      |
| I 28.23: 7111     | Improved Method for Calculating Areas and Shape Factors of Flow Nets        |
| I 28.23: 7112     | Chromium by Thermal Decomposition of Bisbenzine Chromium                    |
| I 28.23: 7113     | Effects of Boron and of Boron with Carbon on the Mechanical Properties      |
| I 28.23: 7114     | Three-Piece Concrete Sets for Small Openings: A Progress Report             |
| I 28.23: 7115     | Preparation of Biodegradable Synthetic Detergents From Low-Temperatu        |
| I 28.23: 7116     | Study of Columbian and Tantium Alloys                                       |
| I 28.23: 7117     | Silver Recovery From Waste Photographic Solutions by Metallic Displace      |
| I 28.23: 7118     | Tungstem Whiskers by Vapor-Phase Growth                                     |
| I 28.23: 7119     | Nonpyritc Smelting of Cipper Concentrates                                   |
| I 28.23: 7120     | Hydraulic Mining of Annthracite Hydraulic Mining of Annthracite             |
| I 28.23: 7121     | Effects of Cobalt on Precipitation Hardening of AM 350 Stainless Steel      |
| I 28.23: 7122     | Similar Compositions of Alkanes From Coal, Petorleum, Natural Gas, and      |
| I 28.23: 7123     | Recovery of Cerium and Lanthanum by Ozonation of Lanthanide Solutions       |
| I 28.23: 7123 c.2 | Recovery of Cerium and Lanthanum by Ozonation of Lanthanide Solutions       |
| I 28.23: 7124     | Analysis of Mineral Matter in Coals by X-Rary Flourescence                  |
| I 28.23: 7125     | Vapor Pressurs of Liquid Columbium and Liquid Hafnium                       |
| I 28.23: 7126     | Oxidation of Lead Blast Furnace Matte by Ferrobacillus Ferrooxidans or a    |
| I 28.23: 7127     | The Incendivity of Permissiable Explosives in Coal Dust-Gas-Air Mixtures    |
| I 28.23: 7128     | Developing a Thermochemical Model for the Iron Blast Furnace                |
| I 28.23: 7129     | Shales for Lightweight Aggregate in Appalacian Region, Kentucky and Te      |
| I 28.23: 7130     | Application of Filiform Tungsten to Reiforce Metals                         |
| I 28.23: 7131     | Carbonizing Properties of Coals From Fayette Greene and Washington C        |
| I 28.23: 7132     | Dust Explosibility of Chemicals, Drugs, Dyes, and Pesticides                |
| I 28.23: 7133     | Methods for Determining Nitrogen Oxides in Automotive Exhausts              |
| I 28.23: 7134     | Heavy Liquid Cyclone Concentration of Minerals                              |
| I 28.23: 7135     | Measuremnt of Oleic Acid on Mineral Surfaces Using a Gas-Liquid Chron       |
| I 28.23: 7136     | Elastic Pressure Distortion of the Volumes of a Burnett Compressibility A   |
| I 28.23: 7137     | Cast Hafnium Carbide-Carbon AlloysCast Hafnium Carbide-Carbon Alloys        |
| I 28.23: 7138     | Effect of Ammonia in Cyanide Solution on Copper Extraction From a Mich      |
| I 28.23: 7139     | Electrification of Ammonium Nitrate in Pneumatic Loading                    |
| I 28.23: 7140     | Centrifugal Dewaterig of Jamaican Red Mud                                   |
| I 28.23: 7141     | Entrained-Bed Carbonization of Highly Fluid Bitiminous Coals                |
| I 28.23: 7142     | Development of a High-Temperature Interferometric Dilatometer Using A       |
| I 28.23: 7143     | An Anisotropic Elastic Solutin for Testing Stress Relief Corees             |
| I 28.23: 7144     | Labortory Oil-Recovery Experiments Using Ultrasonic Energy                  |
| I 28.23: 7145     | High-Purity Vanadium by Metallothermic Reduction of Vanadium Trichloride    |
| I 28.23: 7146     | Direct Electrolysis of Rare-Earth Oxides to Metals and Alloys in Flouride I |
| I 28.23: 7147     | Pressure Pulses Produced by Underground Blasts                              |
| I 28.23: 7148     | Beryillium Resources of Idaho, Washington, Montana, and Oregon              |
|                   |   |

| I 28.23: 7149      | Development and Evaluation of Nonincendive Detonating Cord                 |
|--------------------|--|
| I 28.23: 7150      | Boron and Boron Carbide by Vapor Deposition                                |
| I 28.23: 7151      | A Model for Molten Pools in Arc Melting                                    |
| I 28.23: 7151 c. 2 | A Model for Molten Pools in Arc Melting                                    |
| I 28.23: 7152      | Conversion of Tungsten Oxychloride to Tungsten Hexachloride by Chlori      |
| I 28.23: 7153      | Rare-Earth Silicide Additions to an Alloy Steel to Increase Toughness and  |
| I 28.23: 7154      | Performance Characteristics of Coal-Washing Equipment                      |
| I 28.23: 7155      | Effects of Planes of Weakness on Uniaxial Compressive Strength of Mod      |
| I 28.23: 7155 c. 2 | Effects of Planes of Weakness on Uniaxial Compressive Strength of Mod      |
| I 28.23: 7156      | An Evaluation of an Ammonium Sulfate Leaching Process for Recovering       |
| I 28.23: 7156 c.2  | An Evaluation of an Ammonium Sulfate Leaching Process for Recovering       |
| I 28.23: 7157      | Hollow-Core Anthracite Briquets as Blast Furnace Fuel                      |
| I 28.23: 7158      | Analysis of the Northern Great Plains Province Lignites and Their Ash: a   |
| I 28.23: 7159      | Flotation of Mica from Pegmatities of Randolph County, Ala.                |
| I 28.23: 7159 c. 2 | Flotation of Mica from Pegmatities of Randolph County, Ala.                |
| I 28.23: 7160      | Sulfur Retention in Anthracite AshSulfur Retention in Anthracite Ash       |
| I 28.23: 7161      | Perfromance of a Low-Permeability Sandstone Reservoir, West Avant Fig      |
| I 28.23: 7162      | Alumina Extraction by Autoclave Precipitation of Basic Sodium Aluminum     |
| I 28.23: 7163      | Evaluation of the Explosive-Anchored Rock Bolt                             |
| I 28.23: 7164      | An Acoustical Bench for an Ultrasonic Pulse System                         |
| I 28.23: 7165      | Miniature Bilevel Alarm for Oxygen-Deficient Atmospheres                   |
| I 28.23: 7167      | Heats of Formation of Four Anhydrous Sodium Barriers                       |
| I 28.23: 7168      | Investigation of Operating jVariables in the Attrition Grinding Process    |
| I 28.23: 7169      | Corrosion Properties of the TZM and Molbdenum-30 Tungsten Alloys           |
| I 28.23: 7170      | Ultrafine Grinding of Anthracite Ultrafine Grinding of Anthracite          |
| I 28.23: 7171      | Effect of End Conditions on Determiing Compressiv e Strenght of Rock S     |
| I 28.23: 7173      | A Petrofabric Study of Tectonic and Mining-Induced Deformations in a De    |
| I 28.23: 7174      | Preparation Characteristics of Caol From Clarion County PA                 |
| I 28.23: 7175      | Amino Acids as Retaining Agents for Separation fo Rare-Earth Elements      |
| I 28.23: 7176      | Changes in Ash Composition of North Dakota Lignite Treated by Ion Excl     |
| I 28.23: 7177      | A Multistage Probability Model of Sample Reduction in the Mineral Indust   |
| I 28.23: 7178      | Chlorine Dissolution of Several Ferroalloys                                |
| I 28.23: 7179      | A Comparison of Infrared and Gas Chromatographic Methods for Determ        |
| I 28.23: 7180      | Gas Chromatographic Analyses of the Principal Constituents of Mine Atm     |
| I 28.23: 7181      | Magnetic Separation of Pyrite From Coals                                   |
| I 28.23: 7182      | Copper Cementation Using Automobile Scrap in a Rotating Drum               |
| I 28.23: 7183      | Processing Characteristics of Crude Oils From the Williston Basin in Mon   |
| I 28.23: 7184      | Calorimetric Method for Arsenic in Coal                                    |
| I 28.23: 7185      | Recovery of Sulfur from MolybdeniteRecovery of Sulfur from Molybdenite     |
| I 28.23: 7186      | Field Freezing of a Cerium-Iron AlloyField Freezing of a Cerium-Iron Alloy |
| I 28.23: 7187      | The Reactivity of Ammonium Nitrate-Fuel Oil with Pyrite-Bearing Oils       |
| I 28.23: 7188      | Flatation Characteristics of Some Beryllium Minerals and Associated Gar    |
| I 28.23: 7189      | Microflotation Studies fo Some Columbian-Tantalum Minerals                 |
| I 28.23: 7190      | Thermodynamic Properties of Helium, Nitrogen, and Helium-Nitrogen Mix      |
| I 28.23: 7191      | Mine Water ResearchMine Water ResearchMine Water Research                  |
| I 28.23: 7192      | Low-Temperature Performance of Compressed Oxygen Closed-Circuit B          |
| I 28.23: 7194      | Preparation of Anhydrous Chromous Chloride                                 |
| I 28.23: 7195      | Dvelopment of Slurry Explosives for Use in Potentially Flammable Gas A     |
| I 28.23: 7196      | Large-Scale Studies fo Gas Detonations                                     |
| I 28.23: 7197      | Storage Stability of GasolineStorage Stability of Gasoline                 |
| I 28.23: 7198      | Earth Pressure at Rest and One-Dimensional Compression in Mine Hydra       |
| I 28.23: 7199      | Laboratory Studies on the Use of Sodium Sulfate for Removing Copper F      |
|                    | · · · · · · · · · · · · · · · · · · ·                                      |

| I 28.23: 7201                  | High-Temperature Heat Contents and Entropies of Four Crystalline Sodiu       |
|--------------------------------|--|
| I 28.23: 7202                  | Comparison of Trip Lights and Reflectors                                     |
| I 28.23: 7203                  | Coal Derived Humus: Plant Growth Effects                                     |
| I 28.23: 7204                  | Composition and Characteristics of Municipal Incinerator Residues            |
| I 28.23: 7205                  | Evaluation of Phosphate Fines From Southeastern Idaho                        |
| I 28.23: 7206                  | Field Investigation and Testing of a Minnesota Clay Resource for Iron Ore    |
| I 28.23: 7207                  | Effect of Physical Parameters on the Reaction og Graphite With Silica in     |
| I 28.23: 7208                  | Explosibility of Miscellaneous Dusts Explosibility of Miscellaneous Dusts    |
| I 28.23: 7209                  | Reaction of Coal With Steam at High Pressures                                |
| I 28.23: 7210                  | Removal of Nonferrous Metals From Synthetic Automobile Scrap on Hea          |
| I 28.23: 7211                  | Columbium and Tantalum Alloy Development                                     |
| I 28.23: 7212                  | Electrowinning Aluminum From Aluminum Chloride                               |
| I 28.23: 7213                  | Recovery of Hydroflouric Acid From Waste Fluosilicic Acid                    |
| I 28.23: 7214                  | Use of Fly Ash for Remote Filling of Underground Cavities and Passagev       |
| I 28.23: 7215                  | Horizontal Zinc Retorts Horizontal Zinc Retorts Horizontal Zinc Retorts      |
| I 28.23: 7216                  | Preparation Characteristics of Coal From Clay, Gilmer and Lewis Counti       |
| I 28.23: 7217                  | Heats of Formation of Chromium Carbides                                      |
| I 28.23: 7218                  | Copper Removal From Steel Scrap by Thermal Treatment                         |
| I 28.23: 7219                  | Analyses of Tipple and Delivered Samples of Coal Collected During the F      |
| I 28.23: 7220                  | Load Loss From Rock-Bolt Anchor Creep  |
| I 28.23: 7221                  | Beneficiation of Titanium Chlorination Residues                              |
| I 28.23: 7222                  | Some Strain-Aging Effects in Electrorefined Vanadium                         |
| I 28.23: 7223                  | Face Ventilation in Underground Bituminous Coal Mines                        |
| I 28.23: 7224                  | Near-Surface Horizontal Stresses Including the Effects of Rock Anisotropy    |
| I 28.23: 7225                  | Joining Refractory Metal Compounds by Hot Pressing                           |
| I 28.23: 7226                  | Beneficiation of Ferrochromium by Molten Salt Electrolysis                   |
| I 28.23: 7227                  | Imporved Eluex Process for Eluting Uranium from Ion Exchange Resins          |
| I 28.23: 7228                  | Dispersion-Strengthened Copper Dispersion-Strengthened Copper                |
| I 28.23: 7229                  | Effect of Varied Extrusion Temperature on the Properties of a Zinc-Coppe     |
| 1 28.23: 7230                  | Improving Returns From Mine Products Through Use of Operations Rese          |
| I 28.23: 7231                  | Pyrite Size Distribution and Coal-Pyrite Particle Association in Steam Coals |
| 1 28.23: 7232                  | Liquidus Temperatures of Titaniferous Slags Part 3.                          |
| 1 28.23: 7233                  | Compressibility Factors for Helium and Carbon Dioxide Mixtures at 0 deg      |
| 1 28.23: 7234                  | Influence of Spherical Head Size and Specimen Diameters on the Uniaxis       |
| I 28.23: 7235                  | Use of Antifissurants in Making Better Coke From Sunnyside Coal From I       |
| I 28.23: 7236                  | Carbonizing Properties of Coals From Nicholas, Randolph and Webster (        |
| 1 28.23: 7237                  | Application of Statistical Response Surface Fitting in Predicting Lignite Pr |
| 1 28.23: 7238                  | Rotary Coring of Appalacian Area Oil-Producing Formations With Mud or Air    |
| I 28.23: 7239                  | Pulverized-Coal Flames Pulverized-Coal Flames Pulverized-Coal Flames         |
| I 28.23: 7240                  | Major Ash-Constituents in U.S. Coals Major Ash-Constituents in U.S. Coals    |
| I 28.23: 7241                  | Continuous Monoitoring of Diesel Exhaust Gas for Carbon Dioxide, Carbo       |
| 1 28.23: 7242                  | Reduction Roasting of Steep Rock Iron-Bearing Materials                      |
| 1 28.23: 7243                  | Transformations of the Elastic Constants for Anisotropic Media by Succes     |
| I 28.23: 7244                  | Raw Materials for Lightweight Aggregate in Appalacian Region, Alabama        |
| I 28.23: 7245                  | Separation of Feldspar, Quartz, and Mica from Granite                        |
| 1 28.23: 7246                  | Phase Diagram for the KF-YF3 System  |
| 1 28.23: 7247                  | Preparation of Tungsten Carbide by Electrodeposition                         |
| 1 28.23: 7247<br>1 28.23: 7248 | Theoretical Relationship Between Density and Oil Yield for Oil Shales        |
| 1 28.23: 7249                  | Five-Piece Concrete Sets for Small Mine Openings: A Progress Report          |
| 1 28.23: 7250                  | Experimental Leaching of Gold From Mine Waste                                |
| I 28.23: 7251                  | Recovering Gold From A Graphitic Schist from Tallapoosa County, Ala.         |
| 1 28.23: 7252                  | Some Aspects of the Aerodynamics of Formation of Float Coal Dust Clou        |
| 1 20.23. 1232                  | Some Aspects of the Actorynamics of Formation of Float Coal Dust Clou        |
|                                |  |

| 10000 7050    |   |
|---------------|---|
| I 28.23: 7253 | Energetics of Percussive Drills Energetics of Percussive Drills                 |
| 1 28.23: 7254 | Recovery of Rhenium From Tungsten-rhenium Alloy                                 |
| I 28.23: 7255 | Turbine Blade Wear by Coal Ash in Working Fluid at 1,220 degrees F              |
| I 28.23: 7256 | A Microscope System Using Automated Reflectance Scanning to Study (             |
| I 28.23: 7257 | Calculating Equilibrium Compositions of Multconstituent, Multiphase, Che        |
| I 28.23: 7258 | Effect of Microstructure on Superconductivity in the Columbium-Hafnium          |
| I 28.23: 7259 | Experiments on the Flow of Mercury in Porous Media in a Transverse Ma           |
| I 28.23: 7260 | Chlorine in Coal CombustionChlorine in Coal Combustion                          |
| I 28.23: 7261 | Chemical and Vegetative Stabilizaion of a Nevada Copper Pophyry Mill T          |
| I 28.23: 7262 | Interactions of Titanium and Molybdenum Additions With Interstitial Impu        |
| I 28.23: 7263 | Flotation of Muscovite From Alabama Graphitic-Mica Schist Ore                   |
| I 28.23: 7264 | Extraction of Aluminum and Fluorine From Leached Potlining Residues             |
| I 28.23: 7265 | Preparation of Thorium Metal by Vacuum Distillation of Electrodeposited         |
| I 28.23: 7266 | Dispersion-Strengthening in Copper-alumina and Copper Yttria Alloys             |
| I 28.23: 7268 | Inductoslag Melting of TitaniumInductoslag Melting of Titanium                  |
| I 28.23: 7269 | Elastic Moduli of Rock at Elevated Temperatures                                 |
| I 28.23: 7270 | bureau of Mines Portable Recording Methanometer                                 |
| I 28.23: 7271 | Vapor Pressures of liquid Titanium (2,008 degress to 2, 379 degrees K) a        |
| I 28.23: 7272 | Gasflood Performance Prediciton for the Cooper Sand of the Fork Run Po          |
| I 28.23: 7273 | Separation and Characterization of Metallo-Organic Materials in Petroleum       |
| I 28.23: 7274 | Eight-Piece Concrete Sets for Small Mine Opeinings: A Progress Report           |
| I 28.23: 7275 | Alkalized-Alumina Attritioning and SO2 Sorption Rates                           |
| I 28.23: 7276 | Operating Charactrisitics of a High-Temperature Electrostatic Precipitator      |
| I 28.23: 7277 | Factores Affecting Detonation Velociites of Desensitized Nitroglycerin in       |
| I 28.23: 7278 | Effects of Pressure, Temperature, and Typer of Oil on Vaporization of Oil       |
| I 28.23: 7279 | Explosion Development in a Spherical Vessel                                     |
| I 28.23: 7281 | Spectrochemical Analyses of Coal Ash for Trace Elements                         |
| I 28.23: 7282 | Entrainment Drying and Carbonization of Wood Waste                              |
| I 28.23: 7283 | Mateials Handling Research: Hydraulic Transportation of Coarse Solids           |
| I 28.23: 7284 | Influence of Resident Time, Temperature, and Steam Conentration on Co           |
| I 28.23: 7285 | Tensile and Stress-Rupture Properties of Rolled Pb-Cd-Sb Alloys                 |
| I 28.23: 7286 | Determination of Dawsonite and Nahcolite in Green River Formation Oil S         |
| I 28.23: 7287 | Compressibility Data for Helium ad 00 C and Pressures to 800 Atmosphe           |
| I 28.23: 7289 | Electrical Resistivity of Hyperstoichiometric Colombium and Zirconium Ca        |
| I 28.23: 7290 | Matallization of Iron Ores With Solid Recuctants                                |
| I 28.23: 7291 | Influence of Volatile Fuel Components on Vehicle Emissions                      |
| I 28.23: 7292 | Magnetic Separation of Mineral of Low Susceptibility and Small Particle S       |
| I 28.23: 7293 | Mass SpectrometryMass Spectrometry  |
| I 28.23: 7294 | Preparing Alkalized AluminaPreparing Alkalized Alumina                          |
| l 28.23: 7295 | Bureau of Mines Coal-Fired Gas Turbine Research Project                         |
| I 28.23: 7296 | Laboratory Oil-Recovery Tests With Ultrasoncally Formed Emulsions               |
| I 28.23: 7297 | Structural Design Data for Unreinforced Concrete Tunnel Linings                 |
| l 28.23: 7298 | Effect of Increasing End Constraint on the Compressive Strength of Mode         |
| 1 28.23: 7299 | Methods for Producing Alumina From Clay   |
| 1 28.23: 7300 | Drillibility StudiesLaboratory Percussive Drilling                              |
| I 28.23: 7301 | Extraction of Copper From Oxides Using Iron and Steel Scrap                     |
| 1 28.23: 7302 | Destructive Distillation of Scrap Tires Destructive Distillation of Scrap Tires |
| 1 28.23: 7303 | Gas Combusion Retorting of Oil Shale Under Anvil Points Lease Agreem            |
| 1 28.23: 7304 | Radiotracer Procedures for Mechanistic Studies in Air Pollution Research        |
| 1 28.23: 7305 | A Systems Approach to Recovering Gold Resources in Jefferson County             |
| 1 28.23: 7306 | Infrared Evaluation of Starch Products Used In Iron Ore Flotation               |
| 1 28.23: 7307 | Vapor Pressures of Metal Halides Vapor Pressures of Metal Halides               |
|               | - p   |
|               |   |

| 100.00.7000                    | Decree Control Decree Foot and IVIII of Marchalla Florida Control IVII     |
|--------------------------------|--|
| 1 28.23: 7308                  | Preparation of Rare-Earth and Yttrium Metals by Electrodeposition and V    |
| 1 28.23: 7309                  | Gamma and Beta Distribution Functions Applied to Size Distribution of M    |
| I 28.23: 7310                  | Effect of Cetane Improvers in the Fuel on Nitrogen Oxides Concentration    |
| I 28.23: 7311                  | Relative Effects of Grouped Physical Variables on the Revenue-Cost Sys     |
| I 28.23: 7312                  | Thermodynamic Properties of a Redlich-Kwong Fluid in the Two-Phase F       |
| I 28.23: 7313                  | High-Purity Zinc and Tin by Amalgam Electrorefining                        |
| I 28.23: 7314                  | Production of Metallic Concentrates From High-silica Iron Ores             |
| I 28.23: 7315                  | Refining Zinc-Base Die-Cast Scrap Using Low-Cost Fluxes                    |
| I 28.23: 7316                  | Chemical Reclaiming of Superalloy Scrap                                    |
| I 28.23: 7318                  | Effect of Sodium Nitrate on the Incendivity of Explosives in Coal Dut-Gas  |
| I 28.23: 7319                  | Selective Flotation of Minerals From North Carolina Mica Tailing           |
| I 28.23: 7320                  | The System AI4C3AIN-AI2O3The System AI4C3AIN-AI2O3                         |
| I 28.23: 7321                  | Sampling and Coking Studies of Several Coalbeds in the Kokolik River, k    |
| I 28.23: 7322                  | Fluidized-Bed Low-Temperature Carbonization of Bituminouw Coal and 1       |
| I 28.23: 7323                  | Heats of Formation of Three Oxides of Rhenium                              |
| I 28.23: 7324                  | Preparation Characteristics of Coal From Beaver and Lawrence Counties      |
| I 28.23: 7325                  | Storage Stability of Aviation Turbine Fuels                                |
| I 28.23: 7326                  | Geochemistry of Some Petroleum-Associated Waters From Louisiana            |
| I 28.23: 7327                  | Stabilization of Hydraulic Backfill with Portland Cement                   |
| I 28.23: 7328                  | Coal Investigations Using Laser Irradiation                                |
| I 28.23: 7329                  | Energetic of Percussive Drills-Longitudinal Strain Energy                  |
| 1 28.23: 7330                  | Mine Roof Vibrations From Underground Blasts                               |
| I 28.23: 7331                  | Comparison of the Triangular, Polygonal, and A Statistical Method of Cor   |
| I 28.23: 7332                  | Pretreating Steel Scrap to Spee Oxidation                                  |
| 1 28.23: 7333                  | An Ultrasonic Method for Determining the Elastic Symmetry of Materials     |
| I 28.23: 7334                  | Suggested Orientation Conventions for Elastically Anisotropic Polycrystal  |
| 1 28.23: 7335                  | An Ultrasonic Method for Determining the Attenuation Symmetry of Mater     |
| 1 28.23: 7336                  | Solvent Extraction of Nickel and Zinc From A Waste Phosphate Solution      |
| I 28.23: 7337                  | Mine Water ResearchMine Water ResearchMine Water Research                  |
| 1 28.23: 7338                  | Factors Affecting the Production of Phosgene Using Gamma Radiation         |
|                                |  |
| I 28.23: 7339<br>I 28.23: 7340 | Oxidation Roasing of Chalcocite Concentrate                                |
|                                | An Improved Maximun-Bubble-Pressure System for Measuring Surface T         |
| I 28.23: 7341                  | Slope Stability Analysis by the Finite Element Stress Analysis and Limitin |
| 1 28.23: 7342                  | Fluid Flows in Channels, Capillaries, and Porous Media Under the Influer   |
| 1 28.23: 7343                  | A Systematic Analyses of Pit Slope Structures by the Stiffness Matrix Me   |
| 1 28.23: 7344                  | Electrolytic Preparation of Tungsten Metal and Tungsten Carbide from W     |
| 1 28.23: 7345                  | An Evaluation of Variables in Basic Oxygen Steelmaking                     |
| 1 28.23: 7346                  | Analyses of Tipple and Delivered Samples of Coal                           |
| I 28.23: 7348                  | Use of Cement Copper in An Iron-Copper-Carbon Powder Metallurgy Alloy      |
| I 28.23: 7349                  | Strengths of Sulfur-Basalt Concretes Strengths of Sulfur-Basalt Concretes  |
| I 28.23: 7350                  | Dismantling A Typical Junk Automobile to Produce Quality Scrap             |
| I 28.23: 7351                  | Mass Specta and Analytical Correlations of Some Alkylcycloalkyl Sulfides   |
| I 28.23: 7352                  | Compressibility Data for Helium over the Temperature Range -5o C to 80     |
| I 28.23: 7353                  | Electrowinning Aluminum From Aluminum Chloride                             |
| I 28.23: 7354                  | Air-Sealing Coal Mines to Reduce Water Pollution                           |
| I 28.23: 7355                  | Microbial Conversion of Hydrous Calcium Sulfate to Hydrogen Sulfide        |
| I 28.23: 7356                  | Effects of Type of Cut, Delay, and Explosive on Underground Blasting in    |
| I 28.23: 7357                  | Green Revier Formation Lithology and Oil Shale Correlations in the Picea   |
| I 28.23: 7358                  | Properties of an Ion Exchange Resin With High Selectivity for Gold         |
| I 28.23: 7359                  | Method for Testing Rate of Gas Diffusion in Crude Oil by Periodic Measu    |
| I 28.23: 7360                  | Recovery of Lead and Sulfur From Galena Concentrate, Using a Ferric S      |
| I 28.23: 7361                  | High-Temperature Combustion of Coal Seeded With Potassium Carbona          |
|                                |  |

| 100 00 7000   | Part of the second seco |
|---------------|--|
| 1 28.23: 7362 | Removal of Magnesium Impurities from Phosphate Rock Concentrates   |
| I 28.23: 7363 | Influence of Rollling Temperature and Copper Content on Creep and Oth  |
| I 28.23: 7364 | Preparation Characteristics of Pennsylvania Athracite From the Kidney S  |
| I 28.23: 7365 | Geometric Relatonships Between Geolocic Structures and Ground Stress   |
| I 28.23: 7366 | Elastic Pressure Distortion of the Volumes of a 1,000-Atmosphere Burnet  |
| I 28.23: 7367 | Evaluation of the Penetration Characteristic of A Horizontal Plate Elutriato   |
| I 28.23: 7368 | Mine Water ResearchMine Water Research   |
| I 28.23: 7369 | Low-Temperature Heat Capacities and Entropies at 298.15o K of Goethit  |
| I 28.23: 7370 | Anode Materials for Alumina Reduction  |
| I 28.23: 7371 | Reaction of Co-Ni-V Alloys with O2 at 1,3510 to 1,4290 K   |
| I 28.23: 7372 | Surface Tension and Density of Liquid Tin  |
| I 28.23: 7373 | Preliminary Engineering Studies to Characterize the Marine Mining Enviro   |
| I 28.23: 7374 | Adaptation of a Slow-Speed Data Acquisition System to Record Multiple  |
| I 28.23: 7375 | Leach-precipitation-Flotation Studies on Red Bed Copper Ore Using Con  |
| I 28.23: 7376 | Beneficiation of Georgia Kyanite Ore Beneficiation of Georgia Kyanite Ore  |
| I 28.23: 7377 | Evaluating Sulfur And Ash Distribution in Coal Seams by Statistical Resp   |
| I 28.23: 7378 | Use of Centrifugal Separation to Investigate How Kerogen is Bound to the   |
| 1 28.23: 7379 |  |
|               | Continuous Heavy Liquid Concentration of Spodumene   |
| I 28.23: 7380 | Freon 113 as a Test Material for Chemical Cartridge Respirators  |
| I 28.23: 7381 | The Soil Modification With Spintered Fly Ash   |
| 1 28.23: 7382 | Wellbore Enlargement Test in A Gas-Storage Well  |
| 1 28.23: 7383 | A Statistical Interpretation of Sample Assay Dat From the Getchell Mine,   |
| I 28.23: 7384 | Refinement of Hematite Crystal Structure   |
| I 28.23: 7386 | Bench-Scale Carbonization of Lignite From the Northern Great Plains Pro  |
| I 28.23: 7387 | Seismic Effects Associated With an Underwater Explosive Research Fac   |
| I 28.23: 7388 | Columbium Alloy Development With Boran, Hafnium, and Tungsten  |
| I 28.23: 7389 | Reduction Roasting of NonMagnetic Taconites With Automobile Scrap  |
| I 28.23: 7390 | Comparative Emissions From Some Leaded and Prototype Lead-Free Au  |
| I 28.23: 7391 | Fracturing Hard Rock With Nuclear Explosives and Extraction of Ore Moc   |
| I 28.23: 7392 | Spray Applied Polyurethane Foam to Insulate Heated Rooms Excavated   |
| I 28.23: 7393 | Development of High-Temperature Vanadium-Base Alloy  |
| I 28.23: 7394 | Repeatability of Plastometer And Dilatometer Tests of Coal   |
| I 28.23: 7395 | Leaching Gold-Bearing Mill Tailings from Mercur, Utah  |
| I 28.23: 7396 | Prediction of Penetration Rate for Percussive Drilling   |
| I 28.23: 7397 | Evaluation of Oil-Shale Fracturing Tests Near Rock Springs, Wyo.   |
| I 28.23: 7398 | Electrowinning Misch Metal from a Treated Bastnasite Concentrate   |
| I 28.23: 7399 | Prediction of Coke Strength and Carbonization Product Yiels From Explo   |
| I 28.23: 7400 | Coal Carbonization Studies Coal Carbonization Studies  |
| I 28.23: 7401 | Water for Waterflooding San Joaquin Valley, Calif., Petroleum Reservoirs   |
| I 28.23: 7402 | Electrochemical Recovery of High_Purity Nicker and Cobalt From Crude   |
| I 28.23: 7403 | Respirator Filete Penetration Using Sodium Chloride Aerosol  |
| I 28.23: 7404 | Factors Related to Mineral Separation in a Vacuum  |
| I 28.23: 7405 | Viscosity of the Helium-Nitrogen System From 133o to 740o K for Pressu   |
| I 28.23: 7406 | In Situ Tests of Bearing Capacity of Roof and Floor in Selected Bituminou  |
|               | • , ,  |
| 1 28.23: 7407 | Effects of Explosive Properties on Free-Surface Displacement Pulses and  |
| 1 28.23: 7408 | Slagging Fixed-Bed Gasification of North Dakota Lignite at Pressures to  |
| I 28.23: 7409 | Crater Scaling in Granite for Small Charges  |
| I 28.23: 7410 | Tunnel Boring TechnologyTunnel Boring Technology   |
| 1 28.23: 7411 | Magnetic Roasting and Leaching for Upgrading Minnesota Manganiferou  |
| 1 28.23: 7412 | Compressibility FActors for Helium and Carbon Dioxide Mixtures at-10 de  |
| I 28.23: 7413 | Methos of Weighing and Object in Gaseous Atomospheres to Obtain its 1  |
| I 28.23: 7414 | Sorption of SO2 and Regeneration of Alkalized Alumina in Fluidized-Bed   |
|               |  |

| I 28.23: 7415   | Mathematical Evaluation of SO2 Sorption-Regeneration Reactions With A      |
|-----------------|--|
| I 28.23: 7416   | The Range in Metals and Metal Oxide Systems of Heavy Ions in the Ener      |
| I 28.23: 7417   | Geochemical Investigation for Gold, Anitmony, and Silver at Stibnnite, Ida |
| I 28.23: 7418   | Hydrosulfurization of a Residual Fuel From Wilmington, Calif., Crude Oil   |
| I 28.23: 7419   | Radiographic Test for Electrodeposit Porosity                              |
| I 28.23: 7420   | Prediction of Sodium Concentration in Lignite                              |
| I 28.23: 7421   | Prediction of Coal Grindability From Exploration Data                      |
| I 28.23: 7422   | Production Potential of Copper Deposits Associate With Permina Red Be      |
| I 28.23: 7423   | Effect of Fuel Compositaion on Exhaust Emissions From a Spark-Ignition     |
| I 28.23: 7424   | Rock Fragmenttion by Creating a Thermal Inclusion With Dielectric Heating  |
| I 28.23: 7425   | Investigation of a Low-Grade Gold Deposity in the Orogrande District, Ohio |
| I 28.23: 7426   | Kyanite Resources in the Northwestern United States                        |
| I 28.23: 7427   | Design and Construction of a Radiation Probe                               |
| I 28.23: 7427/2 | Design and Construction of a Radiation Probe                               |
| I 28.23: 7428   | Conversion of Municipal and Industrial Refuse Into Useful Materials by P   |
| I 28.23: 7428/2 | Conversion of Municipal and Industrial Refuse Into Useful Materials by P   |
| I 28.23: 7429   | Bureau of Mines Apparatus for Thermal Analysis Simultaneous DTA-TG-        |
| I 28.23: 7430   | Thermodynamic Data For Silver Chloride and Silver Bromise                  |
| I 28.23: 7431   | Evaluation of Chemical Cartridge Respirator Face Fit                       |
| I 28.23: 7432   | Rock Noise Source Location Techniques                                      |
| I 28.23: 7433   | On the Function of Hydrocarbon and Nitrogen Oxides in Photochemical-S      |
| I 28.23: 7434   | Role of Alumina-to-Silica Mole Ration in the Lime-Soda Sinter Process      |
| I 28.23: 7435   | High-Temperatue Enthalpies and Entrophies of Chalcopyrite and Bornite      |
| I 28.23: 7436   | Plates with Rows of Holes Considered as Ansotropic Soft-Inclusion Mode     |
| I 28.23: 7437   | Phase Relation in the Alkaline Earth Fluoride-Yttria system Part 1         |
| I 28.23: 7438   | Phase Relation in the Alkaline Earth Fluoride-Yttria system Part 2         |
| I 28.23: 7439   | Radiant Heating of Coal Dust Clouds by Flames in Coal Mine Galleries       |
| I 28.23: 7440   | Electrophoretic-Specific Gravity Separation of Pyriet From Coal            |
| I 28.23: 7441   | Diffusion Studies of Light Hydrocarbon Gases Through Coal                  |
| I 28.23: 7442   | Structural Models for the Design of Mining Systems                         |
| I 28.23: 7443   | Optimization of Carbon Depostion Experiments in Thermal Oil Recovery       |
| I 28.23: 7444   | An Improved Method and Apparatus for Analysis of Impurities in Helium      |
| I 28.23: 7445   | Dawsonited and Nahcolite Analyses of Green River Formation Oil-Shale       |
| I 28.23: 7446   | Contel of the Dust Explosion Hazard on Coal Mine Shuttle-Car Runways       |
| I 28.23: 7447   | Photographic Calibrations for Emission Spectrography Using a Small Cor     |
| I 28.23: 7448   | Hazards Associated With Spillage of Liquefied Natural Gas on Water         |
| I 28.23: 7449   | A Method for Estimating Strength of Rock Containing Planes of Weakness     |
| I 28.23: 7450   | Heats of Solution and Formation of Oxalic Acid and Some Alkali Metal Ox    |
| I 28.23: 7451   | Mechanics of Seafloor Penetration by an Asisysmmetric Tube: Static Per     |
| I 28.23: 7452   | Colorimetric Determination of Beryllium in Coal                            |
| I 28.23: 7453   | Precipitation Strengthening of Pb-Cd-Sb Alloys                             |
| I 28.23: 7454   | Utilization of Red Mud Residues From Alumina Production                    |
| I 28.23: 7455   | Characteristics of Electrowon and of Hydrogen-Reduced Molybdenum Pc        |
| I 28.23: 7456   | A Torsion Creep Tester for Metals and Alloys Using Electromechanical a     |
| I 28.23: 7457   | Hydrogen Flae Stack Diffusion FlamesL Low and High Flow Instabilities, E   |
| I 28.23: 7458   | Yttria and Dysprosia as High-Temperatures Thermistor Materials             |
| I 28.23: 7459   | Chemical Reactions in the Roasting of Copper Sulfides                      |
| I 28.23: 7460   | Surface Areas of Thermally Treated Cadmium Sulfide Powders                 |
| I 28.23: 7461   | Batch Reduction of Iron Ore in Fluidized Bed                               |
| I 28.23: 7462   | Mine Roof Vibrations From Production Blasts , Shullsburg Mine, Shullsbu    |
| I 28.23: 7463   | Roll Forming Strip From Oxide Powders                                      |
| I 28.23: 7464   | Malononitrile Extraction of Gold From Ores                                 |

| I 28.23: 7465                  | Evaluation and Comparison of Red Fork Sand Waterflood Projects in Okl  |
|--------------------------------|--|
| I 28.23: 7466                  | A Comparison of Sublimation and Vaporization for Purification of Samriur   |
| I 28.23: 7467                  | Washability Examinations of Colorado Coals   |
| I 28.23: 7468                  | Vapor-Liquid Equilbria Data for the Helium-Nitrogen System as Predicted  |
| I 28.23: 7469                  | Waterflooding of Oilfields in Wyoming to 1968  |
| I 28.23: 7470                  | Microseismic and Displacement Investigations in and Unstabel Slopr   |
| I 28.23: 7472                  | A Graphical Method of Removing Outlier Values From Analytical Data   |
| I 28.23: 7473                  | Processing Manganiferous Sea Nodules   |
| I 28.23: 7474                  | Recovering Elemental Sulfur From Nonferrous Minerals   |
| I 28.23: 7475                  | Extraction of Copper and Nickel from the Duluth Gabbro Complex by Sele   |
| I 28.23: 7476                  | Mathematical Simultion of a Gas-Solid Reaction in a Packed Bed   |
| 1 28.23: 7477                  | Determining Seepage Characteristice of Mill-Tailings Dams by the Finite-   |
| 1 28.23: 7478                  | Removing Sulfur Dioxide from Flue Gases  |
| 1 28.23: 7479                  | Properties of Cast Columbium Carbide-Carbon Alloys   |
| I 28.23: 7480                  | Continuous Heavy Liquid Concentration of Kyanite   |
| 1 28.23: 7482                  | Heat Contents of Some Green River Oil Shales   |
| I 28.23: 7483                  | Removing Sulfur Dioxide by Carbon Monoxide Reduction   |
| 1 28.23: 7484                  | Eltrolytic Preparation of Vanadium Fron V2 C-Type Carbide  |
| I 28.23: 7485                  | Tungsten and Dispersion-Strengthened Tungsten Made by Freeze Drying  |
| I 28.23: 7486                  | Statisitical Analysis of Assay Data From the Round Mountain Silver Prosp   |
| I 28.23: 7487                  | Method for Controlling Instability of Liquid-Saturation Computations   |
| 1 28.23: 7488                  | Recovery of Mica from Silt Deposits in the Nolichucky Reservoir, Tennee  |
| 1 28.23: 7489                  | Gold Transport by Complex Metal Chloride Vapors  |
| 1 28.23: 7490                  | Anlayses of Tipple and Deliverd Samples of Coal  |
| I 28.23: 7491                  | Effects of Magnesium on the Microstructures, Hardness, and Tensile Pro   |
| 1 28.23: 7492                  | Conpositional Variations of the Organic Material of Green River Oil Shale  |
| 1 28.23: 7493                  | Radiotracer Study of turbine Aircraft Fuel Stability   |
| 1 28.23: 7494                  | Effect of Organic Additives on Impregnated Diamond Drilling  |
| I 28.23: 7495                  | Statisitical Analysis of Gold Assay Data and Other Trace Element Data  |
| 1 28.23: 7496                  | Oxidation of Cobalt-Nickel-Aluminum Alloys as 1,352 degrees to 1,429 de  |
| 1 28.23: 7497                  | Evaluation of the Madison Limestone in the Williston Basin From Well Lo  |
| I 28.23: 7498                  | Distribution of Sulfide and Oxide Copper to Copper Mill Tailings   |
| 1 28.23: 7499                  | Heat of Formation of Cuprous Cyanide and its Heat Capacity From 10 de  |
| I 28.23: 7501                  | Autoclave and Ambient Pressure Leaching of Lake Superior Manganifero   |
| 1 28.23: 7502                  | Utilization of Waste Fluosilicic Acid Utilization of Waste Fluosilicic Acid                                      |
| 1 28.23: 7503                  | Heat Content and Specific Heat of Six Rock Types at Temperatures of 1,   |
| 1 28.23: 7504                  | Reclamation of Acidic Coal-Mione Spoil With Fly Ash  |
| 1 28.23: 7505                  | Technique of Measuring Initial Deformation Around and Opening  |
| I 28.23: 7506<br>I 28.23: 7507 | A Method for Sampling and Analyzing Trona Dust   |
|                                | Explosion Development in a Closed Vessels  |
| 1 28.23: 7508                  | Sampling Gold Ore by Diamond-Drilling in the Homestake Mine, Lead, S.  |
| I 28.23: 7509                  | Ionized Fields in Electrostatic Separation   |
| I 28.23: 7510                  | Titrated Water as a Tracer in the Dump Leaching of Copper  |
| I 28.23: 7511                  | Mathematical Simulation of Historic Gas Distribution by Diffusion in and C                                       |
| I 28.23: 7512                  | Multiple Zone Mining Plus Beneficiation of Western Phosphate Rock  |
| I 28.23: 7513                  | Disscociation and Vaporization of Gold Chlorides and Gold Bromides   |
| I 28.23: 7514                  | Photochemical Reactivity of Diesel Exhaust Spatial and Tomporal Distributing of Halon 1301 From A Commodal Extin |
| I 28.23: 7515                  | Spatial and Temporal Distributinsof Halon 1301 From A Commecial Extin  |
| I 28.23: 7516                  | Heavy Liquid Concentration of Brucite  Because of Heavy Metals From Sand and Croyal Operations in the South      |
| I 28.23: 7517                  | Recover of Heavy Metals From Sand and Gravel Operations in the South   |
| I 28.23: 7518                  | Hydrolyzed Metal Ions as Pyrite Depressants in Coal Flotation: A Laborat   |
| I 28.23: 7519                  | Electreical and Hydraulic Flow Properties of Appalacian Petroleum Resei  |

| I 28.23: 7520                  | Dewatering Florida Phosphate Pebble Rock Slime by Freezing Techniques  |
|--------------------------------|--|
| I 28.23: 7521                  | A New Internal Oxidation Process for Strengthening Tungsten  |
| l 28.23: 7522                  | Effects of Rolling Temperature and Titanium Content of Creep and Other   |
| l 28.23: 7523                  | Using Braod-Line Nuclear Magnetic Resonance Spectrometry to Estimate   |
| l 28.23: 7524                  | Differential Extraction of Rare-Earth Elements in Quaternary Ammonium  |
| l 28.23: 7525                  | Washability Examinations of Wyoming Coals  |
| I 28.23: 7526                  | Analysis of Tunnel Support Structure With Consideration of Support-Rocl  |
| I 28.23: 7527                  | Reactivities of Exhaust AldehydesReactivities of Exhaust Aldehydes   |
| I 28.23: 7529                  | Thermal Reactions of 1-MethylindoleThermal Reactions of 1-Methylindole   |
| I 28.23: 7530                  | Diesel Emissions Reinventoried Diesel Emissions Reinventoried  |
| I 28.23: 7531                  | Flexible, Spiral-Reinforced Circular Ventilation Tubing  |
| l 28.23: 7532                  | Utah Crude Oils: Characteristics of 67 Samples   |
| I 28.23: 7533                  | Recovery of Phosphates and Metals From Waste Phosphate Sludge by F   |
| I 28.23: 7534                  | A Small-Scale Test for Free-Swelling Index of Coal   |
| I 28.23: 7535                  | Thermodynamic Properties of (Na2O)4 Fe2O3, 6o to 1,200o K  |
| I 28.23: 7536                  | Increasing Oil Production From the Venango Second Sand   |
| I 28.23: 7537                  | Dry_Pressed Building Bricks From Copper Mill Tailings  |
| I 28.23: 7538                  | Creep and Other Properties of Extrued Zinc-3- Percent Aluminum Alloys  |
| l 28.23: 7539                  | Reactivities of Automotive Emissions From Fuels of Varied Front-End Co   |
| I 28.23: 7540                  | Gas Combusion Retorting of Oil Shale Under Anvil Points Lease Agreem   |
| I 28.23: 7541                  | Thermal Conductivites and Prandtl Numbers of Nitrogen From 133o to 7   |
| I 28.23: 7542                  | Preliminary Survey of Polymer-Impregnated Rock   |
| I 28.23: 7543                  | Gravity Flow of Powder in a Lunar Environment  |
| l 28.23: 7544                  | Chemical Spot Tests for Aluminumg Alloys   |
| I 28.23: 7545                  | Investigation of Pulsation Dampers for Personal Respirable Dust Samplers   |
| I 28.23: 7546                  | Field Evaluation of Hydraulic Backfill Compaction ant the Lucky Friday M   |
| I 28.23: 7547                  | Production Decline Curves Using Data From California Oilfields   |
| I 28.23: 7548                  | Preparing Copper Powder from Cemented Copper   |
| I 28.23: 7549                  | The Free Energy of Formation on Indium Oxide by EMF Measurements   |
| I 28.23: 7550                  | Noise in Underground Coal Mines Noise in Underground Coal Mines  |
| I 28.23: 7551                  | Thermodynamic Properties of Fouor Crystallline Sodium Borates  |
| I 28.23: 7552                  | Inhibition of Coal Dust-Air Flames Inhibition of Coal Dust-Air Flames  |
| 1 28.23: 7553                  | A Three-Dimensional Dynamic Programing Method for Optimal Ultimate   |
| 1 28.23: 7554                  | Improved Cupric Ammonium Carbonate Leaching of Copper Scrap  |
| I 28.23: 7555                  | Sampling Gold Lode Deposits, Bluff, Seward Peninsula, Alaska   |
| I 28.23: 7556                  | Effect of Temperauture on the Electrolytic Preparaton and Recovery of Sa   |
| 1 28.23: 7557                  | Hydrodesulfurization of Venezuelan Residual fuel Olls  |
| 1 28.23: 7558                  | Analysis of Uranium Distribution in Diamond-Drill Cores  |
| 1 28.23: 7559                  | Laboratory Evaluation of Some Factors in Cyaniding Gojld Placers   |
| I 28.23: 7560                  | Converting Organic Wastes to OilConverting Organic Wastes to Oil   |
| I 28.23: 7561                  | Predicition of Low-Temperature Carbonization Properties of Coal in Adva  |
| 1 28.23: 7562                  | Recovery of Copper From Converter Slags by Flotation   |
| I 28.23: 7562 (Rev)            | Recovery of Copper From Converter Slags by Flotation   |
| I 28.23: 7563<br>I 28.23: 7564 | Computer Calculation of Binary Organic Liquid Recovery by Condensatio  |
|                                | Prediction of Coke Strenght of American Coals by the Ruhr Dilatometer N  |
| I 28.23: 7565<br>I 28.23: 7566 | Delineation of Clustered Points in Two Dimensions by Measuring Perime  |
| 1 28.23: 7567                  | Recovery of Cadmium and Nickel From Scrap Batteries Influence of Thermal Treatments Upon Grindability of Low-Grade Nonma |
| 1 28.23: 7568                  | The Use of Bolts or Wire Rope to Increase the Strength of Fractures Mod  |
| 1 28.23: 7569                  | Preparation of Thorium-Magnesium Alloys and Pure Thorium by Magnesi  |
| 1 28.23: 7570                  | Dispersion Strengthening of Lead by Coprecipitation  |
| I 28.23: 7571                  | Hardness, Tensile Strength, and Impact Toughness of Reservoir Sandstc  |
| . 20.20. 7071                  | Tarances, Tenene energin, and impact reaginess of Nescivon editast   |
|                                |  |

|               | F  |
|---------------|--|
| I 28.23: 7572 | Fragmentation of Concrete With Hydraulic Jets  |
| 1 28.23: 7573 | Oxidation Process for Improving Gold Recovery From Carbon-Bearing G  |
| 1 28.23: 7574 | Airblast-Overpressure Levels From Confined Undergroung Production Bl   |
| I 28.23: 7575 | In Situ Strain Orientations : a Comparison of Three Measuring Techniques   |
| I 28.23: 7576 | Structural Deformation of Green River Oil Shale as It Relates to In Situ R   |
| I 28.23: 7577 | Gravity Flow of Powder in a Lunar Environment Part 2   |
| I 28.23: 7578 | Rock-Bolt Anchorage in Tertiary-Gravel Material: Badger Hill, California   |
| I 28.23: 7579 | Modifying Diesel Engine Operating Parameters to Reduce Emissions   |
| I 28.23: 7580 | Comparison of Techniques for Electrowinning Tungsten From Scheelite  |
| I 28.23: 7581 | Explosion-Proof Bulkheads Explosion-Proof Bulkheads  |
| I 28.23: 7582 | Evaluation of Some Solid Oxides as Sorbents of Sulfur Dixoxide   |
| I 28.23: 7583 | Experiments on Gas Flow in Porous Media at Low Pressures   |
| I 28.23: 7584 | Geophysical Measurements of Gold-Bearing Gravels, Nevada County, Calif.  |
| I 28.23: 7585 | Enthalpy and Free Enerby Formation of Vanadium Subnitirde  |
| I 28.23: 7586 | Thermal Chemical Alteration of Sandstone to Increase Permeability  |
| I 28.23: 7587 | Electrowinning of Oxygen From Silicate Rocks   |
| I 28.23: 7588 | Analysis of Tippel and Delivered Samples of Coal Collected During Fisca  |
| I 28.23: 7589 | In Situ Rock TemperatureIn Situ Rock Temperature   |
| I 28.23: 7590 | Ionic Constituents of DC Discharges in a He-SO2 Mixture  |
| I 28.23: 7591 | Methane Emission Rate Studies in a Central Pennsylvania Mine   |
| I 28.23: 7592 | Determination of Metallic Aluminum in Recycled Glass   |
| I 28.23: 7593 | Classification Test Methods for Flammable Solids   |
| I 28.23: 7594 | Classification Test Methods for Oxidizing Materials  |
| I 28.23: 7595 | Computer Analysis of Seismic Refraction Data   |
| I 28.23: 7596 | Hydraulic Fracturing of Wyoming Green River Oil Shale: Field Experimen   |
| I 28.23: 7597 | Extraction of Gold From Carbonaceous Ores: Pilot Plant Studies   |
| I 28.23: 7598 | Vapor-Liquid Equilbria Data for Two Helium-Nitorgen-Methane Mixtures F   |
| I 28.23: 7599 | Use of Char to Improve Physical Quallity of Coke From Allen (Colorado)   |
| I 28.23: 7600 | Enthalpies and Entropies Above 298.15 degrees K for Copper Sulfate an  |
| I 28.23: 7601 | Laboratory Flotation Studies of Tennessee Phosphates in the Presence c   |
| I 28.23: 7602 | Removing Bismuth From Lead With a Submersible Centrifuge   |
| I 28.23: 7603 | Recovery of Aluminum from Aluminum-Silicon Alloys  |
| I 28.23: 7604 | Mass Spectra and Analytical Correlations for 32 Alkyl Aryl Sulfides  |
| I 28.23: 7605 | Fabrication and Cost Evaluation of Experimental Building Brick From Wa   |
| I 28.23: 7606 | The Effect of Atmospheric Pressures on the Oxygen Level in a Sealed Mine   |
| I 28.23: 7607 | An Experiment in Seismic HolographyAn Experiment in Seismic Holography   |
| I 28.23: 7608 | Washability Examinations of Core Samples of San Juan Basin Coals, Ne   |
| I 28.23: 7609 | An Evaluation of Methods for Detecting Mercury in Some U.S. Coals  |
| I 28.23: 7610 | Electrostatic Separation With Photoelectric Charging   |
| I 28.23: 7611 | Evaluation of a Radioisotopic X-Ray Drill-Hole Probe   |
| I 28.23: 7612 | Effect of Preheating Upon Metallization of Iron Ore Pellets  |
| I 28.23: 7613 | High-Speed Photography Studies of Laboratory Cratering in Tennessee I  |
| I 28.23: 7614 | Selective Oxidation of Automobile Scrap  |
| I 28.23: 7615 | An Expermental Study of Particle Size and Size Distribution of Minerals C  |
| I 28.23: 7616 | Preparation Characteristics of Coal From the Ohio Coalfieldz   |
| I 28.23: 7617 | Recovery of Aluminum, Base, and Precious Metals From Electronic Scrap  |
| I 28.23: 7618 | Effect of Tapioca Flour on tha Anionic Flotation of Gangue From Iron Ores  |
| I 28.23: 7619 | Fly Ash-Rubber Mixtures Fly Ash-Rubber Mixtures  |
| 1 28.23: 7620 | Thermal Degradation of Green River Kerogen at 150 degrees to 350 deg   |
| I 28.23: 7621 | Numerical Methods for Determining Streamlines and Isopressures for Us  |
| I 28.23: 7622 | Continuous Gaseous Direct Reduction of Low-Grade Iron Ores in a Fluid  |
| I 28.23: 7623 | Photoelectric Concentrator for the Wet Concentrating Table   |
| 0 0. / 0_ 0   | The state of the s |

| I 28.23: 7624 | A Thousand-Tom Capacity Stiff Testing Machine  |
|---------------|--|
| I 28.23: 7625 | Flame Spread Evaluation of Ventilation Cloth   |
| I 28.23: 7626 | A Least Squares Method for Improving the Source Location of Rock Noise   |
| I 28.23: 7627 | Flash Reduction of Iron Ore Flash Reduction of Iron Ore  |
| I 28.23: 7628 | Use of Steam to Control Respirable Coal Dust at the Point of Generation  |
| I 28.23: 7629 | Electrolytic Preparation of Beryllium-Copper Alloys  |
| I 28.23: 7630 | Use of Preheated Coal in Carbonization   |
| I 28.23: 7631 | Pulverizing Lignite in a Ring-Roller MillPulverizing Lignite in a Ring-Roller Mill   |
| I 28.23: 7632 | Contribution of Some Carbonyl, Phenol, and Hydrocarbon Components to   |
| I 28.23: 7633 | Sulfur Reduction Potential of the Coals of the United States   |
| I 28.23: 7634 | A Field Survey of Emissions From Aircrage Turbine Engines  |
| I 28.23: 7635 | Identification and Analyses of Copper-Base Alloys by Fluorescent X-Ray   |
| I 28.23: 7636 | The Effect of Pulsation Damping on RespirableDust Collected by Coal Mi   |
| I 28.23: 7637 | Recovery of Zinc, Copper, and Lead-Tin Mixtures From Brass Smelter Fl  |
| I 28.23: 7638 | Kinetics of Thermal Decomposition of Copper (II) Sulfate and Copper (II)   |
| I 28.23: 7639 | Compressibilty Data For Helium, Nitrogen, Na Helium-Nitrogen Mixtures  |
| I 28.23: 7640 | Methane and Dust Control by Water Infusion   |
| I 28.23: 7641 | Ultrafine Grinding of Several Industrial Minerals by the Attrition-Grinding I  |
| I 28.23: 7642 | Dispersal of Coal- and Rock-Dust Deposits  |
| I 28.23: 7643 | Creep and Other Properties of Zinc-Copper-Titanium Alloys Annealed Aft   |
| I 28.23: 7644 | Strongly Caking Coal Gasifies in a Stirred-Bed Producer  |
| I 28.23: 7645 | A Method for the Prediction of Stresses in and Isotropic Inclusion or Oreb   |
| I 28.23: 7646 | Blending Crushed Coal by Recycling Through a Bin Equipped With a Par   |
| I 28.23: 7647 | Activity Patterns in the Catalytic Reduction of SO2 on Some Transition El  |
| I 28.23: 7648 | Useof Composite Diaphragms in the Electrowinning of Titanium   |
| I 28.23: 7649 | Methane Migration Characteristics of the Pocahontas No. 3 Coalbed  |
| I 28.23: 7650 | A Chemiluminescence Detector for Ozone Measurement   |
| I 28.23: 7651 | Recovery of Feldspar and Glass Sand From South Carolina Waste Grani  |
| I 28.23: 7652 | Evaluation of the Sulfatization-Reduction Process for Recovering Mangar  |
| I 28.23: 7653 | Ground Vibrations From Tunnel Blasting in Granite  |
| I 28.23: 7654 | In Situ Determination of Stresses in Mountainous Topography  |
| I 28.23: 7655 | Ternary Phase Diagram for the Systm 1,1,2,2Tetrabromoethane/Water/   |
| I 28.23: 7656 | Solubility fo 1,1,2,2Tetrabromoethane in Water as a Function of Tempe  |
| I 28.23: 7657 | Effect of a Surface Borehole on Longwall Gob Degasification (Pocahonta   |
| I 28.23: 7658 | Methane Emissionin Coal Mines: Effects of Oil and Gas Wells  |
| I 28.23: 7659 | Lowering the Tin Content of Secondary Leaded Tin-Bronze by Replacem  |
| I 28.23: 7661 | Force Distribution in the High-Intensity Wet Magnetic Separator  |
| I 28.23: 7662 | Recovery of Phosphates and Metals From Phosphate Sludge by Solvent   |
| I 28.23: 7663 | Extractionn Process for Upgrading Sm2 O3 Using Selective Stripping Tec   |
| I 28.23: 7664 | Synthesis and Characterization of Dawsonite  |
| I 28.23: 7665 | Solving Ventilation Problems With Analog and Digital Computers   |
| I 28.23: 7666 | Presrue Distribution in Irregularly Bounded Reservoirs   |
| I 28.23: 7667 | The Methane Migration and Storage Characteristics of the Pittsburgh, Po  |
| I 28.23: 7668 | An In-Situ Diffusion Parameter for the Pittsburgh and Pocahontas No. 3 (   |
| I 28.23: 7669 | Analysis of Fracture Orientation for Input to Structural Models of Disconti  |
| I 28.23: 7670 | Bureau of Mines Instrumented Impact Tester   |
| I 28.23: 7671 | Separation of Columbium, Tantalum, Titanium, and Zirconium From Titar  |
| I 28.23: 7672 | Emission Characteristics of Propane As Automotive Fuel   |
| I 28.23: 7673 | Performance Characteristics of Coal-Washing Equipment: Dense-Mediur  |
| I 28.23: 7674 | Direction of Rubble Zones in Oil Shale by the Electrical Resistivity Techn   |
| I 28.23: 7675 | Oxygenates in Automotive Exhaust Gas   |
| I 28.23: 7676 | A Solid-State Amplifier for the Bridge Circuit of a Mercury Detector   |
|               | and the state of t |

| I 28.23: 7677 | Sample Preparation Variability in Diamond-Drill Core From the Homestak        |
|---------------|---|
| I 28.23: 7678 | Measurement and Reduction of Noise From Detonatin Cord Use in Quarr           |
| I 28.23: 7679 | The Statistical and Spatial Evaluation of Sulfur and Ash in Coal Seams        |
| I 28.23: 7680 | Forecasting the Properties of Coal Seams in Place                             |
| I 28.23: 7681 | Oil Yields and Stratigraphy of the Green River Formation's Tipton Membe       |
| l 28.23: 7682 | Reducting Surface Hot Shortness of Copper-Bearing Steels                      |
| l 28.23: 7683 | Recovery of Precious Metals From Electronic Scrap                             |
| I 28.23: 7684 | Drillibility Studies-Percussive Drilling in the Field                         |
| I 28.23: 7685 | Computer Program for Pit Slope Stability Analysis by the Finite Element S     |
| I 28.23: 7686 | Dispersion Strengthening ofInternally Oxidized Iron-Aluminum Alloys           |
| I 28.23: 7687 | A Comparison of Borer, Ripper, and Conventional Mining Products in Illin      |
| I 28.23: 7688 | Oil Fields and Crude Oil Characteristics Cook Inlet Basin, Alaska             |
| l 28.23: 7689 | Estimating Nahcolite and Dawsonite Content of Colorado Oil Shale From         |
| I 28.23: 7690 | Hydrocarobon Gases Produced in a Simulated Swamp Environment                  |
| I 28.23: 7691 | Low-Temperature Heat Capacities and High-Temperature Enthalpies of §          |
| I 28.23: 7692 | Percussive Drilling With Independent Rotations                                |
| I 28.23: 7694 | Stability Constants of Metal Coordination Compounds                           |
| I 28.23: 7695 | Extraction of Manganese From Georgia Umber Ores by a Sulfuric Acid-F          |
| I 28.23: 7696 | A Three-Minute Gas Chromatographic Analysis fo the Main Constituents          |
| I 28.23: 7697 | Methane Diffusion Parameters for Sized Coal Particles                         |
| I 28.23: 7698 | Optimizing Decomposition of Carbonyl Sulfide in and Electrical Discharge      |
| I 28.23: 7699 | Experimental Investigations of and Open-Cycle, Vortex MHD Generator           |
| I 28.23: 7700 | Interpretation of Gas Chromatographic Spectra in Routine Analysis of Ex       |
| I 28.23: 7701 | Waste Glass as a Flux for Brick Clays Waste Glass as a Flux for Brick Clays   |
| I 28.23: 7702 | Dispersing Antiferromagnetic Precursors to Prepare Magnetic Fluidds           |
| I 28.23: 7703 | Methane Emission Rate Studies in a Deep Pocahontas No. 3 Coalbed Mi           |
| I 28.23: 7704 | A Study of Fragmentation From Bench Blasting in Limestone at a Reduce         |
| I 28.23: 7705 | Autogenoue Smelting of Copper Sulfide Concentrate                             |
| I 28.23: 7706 | Determination of Paleotectonic Principal Stress Direction, Including Analy    |
| I 28.23: 7707 | Effect of Fuel Front-End and Midrange Volatility on Automobile Emissions      |
| I 28.23: 7708 | Glass Wool From Waste GasGlass Wool From Waste Gas                            |
| I 28.23: 7709 | Adhesion at Crystallline Interfaces in Rock                                   |
| I 28.23: 7710 | Purification of Yttrium by Electrorefining                                    |
| I 28.23: 7711 | Cleaning Titanium Alloy Chips Cleaning Titanium Alloy Chips                   |
| I 28.23: 7712 | Analyses of Tipple and Delivered Samples of Coal                              |
| I 28.23: 7713 | Tesing of Coal-Cutter Materials for Incendivity and Radiance of Sparks        |
| I 28.23: 7714 | Analysis of Trace Elements in Coal by Spark-Source Mass Spectrometry          |
| I 28.23: 7715 | Analysis of the Geometry of Fractures in San Manuel Copper Mine, Arizo        |
| I 28.23: 7716 | Use of Cryogens to Reclaim Nonferrous Scrap Metals                            |
| I 28.23: 7717 | Economics of Mixed Potassium-Cesium Seeding of an MHD Combustion              |
| I 28.23: 7718 | Better Coke by Using Antifissurants Better Coke by Using Antifissurants       |
| I 28.23: 7719 | Conversion of Ilmenite to Rutile by a Carbonyl Process                        |
| I 28.23: 7720 | Kinetics of CO Reduction of Hematite to Magnetite and the Effect of Silica    |
| I 28.23: 7721 | Phase-Contrast Enhancement Without Spatial Filters for Seimic Holograp        |
| I 28.23: 7722 | Molton Salt Electrowinning of Magnesium-Yttrium Alloys                        |
| I 28.23: 7723 | Chemical Flame Inhibition Using Molecular Beam Mass Spectrometry Bro          |
| I 28.23: 7724 | Continuous Heavy Liquid Concentration of High-Clay Potash Ores                |
| I 28.23: 7725 | Solid-Liquid Flow in Noncircular Pipes Solid-Liquid Flow in Noncircular Pipes |
| 1 28.23: 7726 | Characterization of the Valence State of Iron in Coal Dust                    |
| I 28.23: 7727 | Aragonite and the Genesis of Carbonites in Mahogany Zone Oil Shales o         |
| I 28.23: 7728 | Phosphorus Removal From Birmingham, Als., Calcareous Iron Ores                |
| I 28.23: 7729 | Methods and Evaluation of Explosive Fracturing in Oil Shale                   |
|               |   |

| 100 00 7700                    | Describition of Oalisa District Oalife with Oil as Desire Oal             |
|--------------------------------|---|
| 1 28.23: 7730                  | Beneficiation of Calico District, California, Silver-Barite Ores          |
| I 28.23: 7731                  | Materials Handling Research: Shear Properties of Several Granular Mate    |
| 1 28.23: 7732                  | Removing Pyrite From Coals by Dry-Separation Methods                      |
| 1 28.23: 7733                  | Solvent Extraction of Nitrate From Titanium Leacher Effluent              |
| 1 28.23: 7734                  | An Automatic Data Acqusition System for Underground Measurements          |
| I 28.23: 7735                  | Emission Characteristics of and Aircraft Auxiliary Power Unit             |
| I 28.23: 7736                  | Extraction of Silver From Refractory Ores                                 |
| I 28.23: 7737                  | Geochemical Aspects of the Saturate Hydrocarbon Constituents of Greer     |
| I 28.23: 7738                  | Hydrogenating Shale Oil at Low Space Velocity                             |
| I 28.23: 7739                  | Materials Handling Research: Penetration of Selected/Granualr Materials   |
| I 28.23: 7741                  | Development of a Portable Radon Detector                                  |
| I 28.23: 7742                  | Studies on Recovering Rutile From Titanium-Enriched High-Iron Smelter     |
| I 28.23: 7743                  | Liquid State Spectral Emissivites of Titanium, Vanadium, Zirconium, Moly  |
| I 28.23: 7744                  | Properties of Natrual Zeolites Properties of Natrual Zeolites             |
| I 28.23: 7745                  | Beneficiation of Idaho Kyanite-Bearing Materials                          |
| I 28.23: 7746                  | Alternating Current Matrix-Type Magnetic Separator                        |
| I 28.23: 7747                  | Ionic and Neutrl Reactions in Glow Discharges of a He-SO2 -CO Mixture     |
| I 28.23: 7748                  | Effects of Specimen Radius on the Stress State Near a Roof Bolt Anchor    |
| I 28.23: 7749                  | Sulfatization-Reduction of Manganiferous Iron Ore                         |
| I 28.23: 7750                  | Recovery of Mercury form Cinnabar Ores by Electrooxidation                |
| I 28.23: 7751                  | Rock Damage From Small Charge Blasing in Granite                          |
| I 28.23: 7752                  | Detonation of a Flammable Cloud Following a Propane Pipeline Break        |
| I 28.23: 7753                  | Fracturing in the Zone Around a Blasthole, White Pine, Mich.              |
| I 28.23: 7754                  | Recovery of Zinc, Copper, Silver, and Iron From Zinc Smelter Residue      |
| I 28.23: 7755                  | Strengthening of Fractured Rock Pillars by the Use of Small Radial Reinfo |
| I 28.23: 7756                  | The Association of Automotive Fuel Composition With Exhaust Reactivity    |
| I 28.23: 7757                  | Hazards Form Engines Rebreathin Exhaust in Confined Space                 |
| I 28.23: 7758                  | Methods for Producing Alumina From Clay                                   |
| I 28.23: 7759                  | Correlations of Phase-Boundary Pressures of Condensate Fluid Systems      |
| 1 28.23: 7760                  | Resource Recovery From Raw Urban Refuse                                   |
| I 28.23: 7761                  | Physical Aspects of Copper Cementation on Iron                            |
| I 28.23: 7762                  | The Composition of Coalbed Gas The Composition of Coalbed Gas             |
| I 28.23: 7763                  | Procedures Used For Sampling Fracture Orientations in an Underground      |
| 1 28.23: 7764                  | Mine Roof Vibrations From Underground Blasts , Pilot Knob, Mo.            |
| I 28.23: 7765                  | Respirable Dust Adhering to Run-of-Face Bituminous Coals                  |
| I 28.23: 7766                  | Radical Species Profiles for a Methane-Oxygen-Argon Flame                 |
| 1 28.23: 7767                  | The Direct Method of Determining Methane Content of Coalbeds for Vent     |
| I 28.23: 7768                  | Gases Desorbed From Five Coals of Low Gas Content                         |
| I 28.23: 7769                  | Geologic Factors Causing Roof Instability and Methane Emission Probler    |
| 1 28.23: 7770                  | Compound Type Separation and Characteization Studies for a 370 degree     |
| I 28.23: 7771                  | Large-Scale Continuous Attrition Grinding of Coarse Kaolin                |
| 1 28.23: 7772                  | Comparison of Respirable Dust Concentrations Measured With MRE and        |
| 1 28.23: 7772<br>1 28.23: 7773 | Determination of Eight Minor Elements in Low-alloy Steels by Fluorescen   |
|                                |   |
| 1 28.23: 7774                  | Sulfur Dioxide Emission Control by Hydrogen Sulfide Reactin in Aqueous    |
| 1 28.23: 7775                  | Geolgoy of Eocene Rocks and Oil Yields of Green River Oil Shales on Pa    |
| 1 28.23: 7776                  | Reducing Copper and Tin Impurities in Ferrous Scrap Recovered From Ir     |
| 1 28.23: 7777                  | Effect of Copper and Silicon on Selected Mechanical Properties of Hot-Re  |
| I 28.23: 7778                  | Themodynamic Properties of Three Sodium Titanates                         |
| 1 28.23: 7779                  | The Spectral Growth of Expanding Flames                                   |
| 1 28.23: 7780                  | Decomposition of Hydrogen Sulfide in an Electrical Discharge              |
| I 28.23: 7781                  | Evaluation of Methods for Determining Nahcolite and Dawsonite in Oil Sh   |
| l 28.23: 7782                  | Minimum Extingusihhant and Maximum Oxygen Concentrations for Exting       |
|                                |   |

| I 28.23: 7783                  | In Situ Retorting of Oil Shale In Situ Retorting of Oil Shale                                    |
|--------------------------------|--|
| 1 28.23: 7784                  | Preparation of Samarium-Cobalt Permanent Magnets   |
| I 28.23: 7785                  | The K2 HfF6 -K2 ZrF6 -1.25 Percent HF System at 40o C with Other Solu                            |
| I 28.23: 7786                  | An Algorithm for Calculating Multiphase Chemical Equilibrium                                     |
| I 28.23: 7787                  | Tunneling Machine Research Machine Research  |
| I 28.23: 7788                  | Evaluation of a Machine-Mounted Dust Collector   |
| I 28.23: 7789                  | Establishing Standards for Efffective Wire Rope Clip Installation                                |
| 1 28.23: 7790                  | Methane Control by Isolation of a Major Coal PanelPittsburgh Coalbed                             |
| I 28.23: 7791                  | Redioactive Tracer Pulse Method of Evaluation Fracturing of Undergroun                           |
| 1 28.23: 7792                  | Structural Design Data for Concrete Drit Linings in Block Carving Stopes                         |
| 1 28.23: 7793                  | Nuclear Gages for Monitoring the Coalbed of Commercial-Scale Pressuri                            |
| 1 28.23: 7794                  | Oxidation of Cement Copper by Flash Roasting   |
| I 28.23: 7795                  | Determining Explosive Oil in Dynamites Using High-Pressure Liquid Chro                           |
| I 28.23: 7796                  | An Economic Evaluation of MHD-Steam Powerplants Employing Coal Ga                                |
| 1 28.23: 7797                  | Effects of Thermal Treatments Upon Concentratability of a Nonmagnetic                            |
| 1 28.23: 7798                  | Microseismic Source Locations Around Block Caving at the Climaz Molyς                            |
| 1 28.23: 7799                  | Elastic Plane Frame Analysis of Semisymmetric Cabs and Canopis Used                              |
| I 28.23: 7800                  | Degasification of Virgin Pittsburgh Coalbed Through a Large Borehole                             |
| I 28.23: 7801                  | Reactions of Copper Sulfide Minerals With Chlorine in an Aqueous System                          |
| 1 28.23: 7802                  | Extraction of Molybdenum and Rhenium from Concentrates by Elecrooxic                             |
| 1 28.23: 7803                  | Smog Chamber Ractivities of Emissions From Leaded and Lead-Free Fu                               |
| I 28.23: 7804<br>I 28.23: 7805 | Subsurface Disposal of Pickle Liqour Subsurface Disposal of Pickle Liqour                        |
| 1 28.23: 7806                  | Bleeder System in Virgin Area in a Pittsburgh Coalbed Mine                                       |
| 1 28.23: 7807                  | Natural Gas as and Automotive Fuel, An Experimental Study  |
| 1 28.23: 7808                  | Continuous Monitoring of Coal by a Neutron Moisture Meter  |
| 1 28.23: 7809                  | Secondary Pig Iron From Shredded Auto Scrap Separating Copper From Scrap by Preferential Melting |
| I 28.23: 7810                  | Response Variations of a Microphone Worn on a Human Body   |
| I 28.23: 7811                  | Accuracy and Precision of Several Portable Gas Detectors   |
| 1 28.23: 7812                  | Iron Oxide Superconcentrates by Caustic Leaching   |
| I 28.23: 7813                  | Analysis of Factors Influencing Fracture Initiation and Orientation in Oil R                     |
| I 28.23: 7814                  | Shear Testing of Simulated Lunar Soil in Ultrahigh Vacuum  |
| I 28.23: 7815                  | Suppression of Coal-Dust Explosions by Passive Water Barrieres in a Sir                          |
| I 28.23: 7816                  | Electrophorsis and Coagulation Studies of Some Florida Phosphate Slimes                          |
| I 28.23: 7817                  | Use of Char to Improve Physical Quallity of Coke From Sunnyuside (Utal                           |
| I 28.23: 7818                  | Evaluation of Instrumentation for Measuring Behavior of Aerosols in Smo                          |
| I 28.23: 7819                  | Collection of Airborne Coal Dust by Steam  |
| 1 28.23: 7820                  | Compositional Variations of Organic Material From Green Rivr Oil Shale                           |
| I 28.23: 7821                  | Compound Type Separation and Characteization Studies for a 370 degree                            |
| 1 28.23: 7822                  | Flotation of Pyrite from Coal Pilot Plant Study  |
| 1 28.23: 7823                  | Initial-Stage Sulfuric Acid Leaching Kinetics of Chalcopyrite Using Radioc                       |
| 1 28.23: 7824                  | Detection and Delineation of Faults by Surface Resistivity Measurements                          |
| I 28.23: 7825                  | Stability Constants of Metal Coordination Compounds  |
| 1 28.23: 7826                  | Flotation of Marquette Range Nonmagnetic Taconite Using Innovative Pr                            |
| 1 28.23: 7827                  | Distribution of Sulfur and Ash in Part of the Pittsburgh Seam and Probabl                        |
| I 28.23: 7828                  | Design of an Undergroung Mine Layout   |
| I 28.23: 7829                  | Use of Phosphorus Furnace Slag in Ceramic Wall and Floor tile                                    |
| 1 28.23: 7830                  | Preparation Characteristics and Desulfurization Potential in Iowa Coals                          |
| I 28.23: 7832                  | Undulatory Conveyor Tests and Evaluation   |
| 1 28.23: 7833                  | Rapid Growth of Metalllic Fivbers by Partioning Sulfer in a Copper-Iron-S                        |
| I 28.23: 7834                  | Low-Temperature Heat Capacity and High-Temperature Enthalpy of TiAl3                             |
| I 28.23: 7835                  | Some Effects of Pressure on the Hydrocracking of Crude Shale Oil Over                            |
|                                | , 3  |

| I 28.23: 7836 | Polymeric Materials for Underground Support                                  |
|---------------|--|
| 1 28.23: 7837 | Oxygenates in Automotive ExhaustsOxygenates in Automotive Exhausts           |
| 1 28.23: 7838 | A Geometric Method for the Prediction of Stresses in Inclusions, Orebodi     |
| 1 28.23: 7839 | Constant-Volume Flame PropagationConstant-Volume Flame Propagation           |
| I 28.23: 7840 | Sensitivity of Some Ammonium Nitrate-Based Explosive Compositions            |
| I 28.23: 7841 | Catalytic Activity of Rare-Earth Oxides for the Oxidaton of Hydroge          |
| I 28.23: 7842 | Forecasts of Chemical, Physical, and Utillization Properties of Coal for Te  |
| 1 28.23: 7843 | Partial Devoloatilization of Coal in Two Entrained-Bed Carbonizers           |
| 1 28.23: 7844 | Methods for Refining Crude Shale Oil Produced by In Situ Retorting           |
| I 28.23: 7845 | Structural Analysis of a Coal Mine Opening in Elastic, Mulitlayered Material |
| 1 28.23: 7846 | Effect of Specimen Volume on Apparent Tensile Strength of Three Igneo        |
| I 28.23: 7847 | Formation of Surface Sulfides on Iron Through Reaction With Sulfur           |
| 1 28.23: 7848 | Analyses of Tipple and Delivered Samples of Coal Collected During the F      |
| I 28.23: 7849 | Methane and Dust Controls for Longwalls: Pocahontas No. 3 Cqaolbed, (        |
| I 28.23: 7850 | Support Performance of Hydraullic Backfill                                   |
| I 28.23: 7851 | Superconcentration of Commercial Magnetic Taconite Concentrates by C         |
| I 28.23: 7853 | Phase Relations in the Alkaline Earth Fluoride-Yttria Systems                |
| I 28.23: 7854 | Dispersion of Dust in a Channel by a Turbulent Gas Stream                    |
| I 28.23: 7855 | NX Borhole Jack Modulus Determinations in Homogenous, Isotropic, Ela-        |
| I 28.23: 7856 | Steam-Cured Bricks From Industrial Mineral Wastes                            |
| I 28.23: 7857 | Potential Uses for 400-Hz Electrical Power Systems in Mining                 |
| I 28.23: 7858 | Chemical Analysis of Slickensides From Coal Mine Roof Shale                  |
| I 28.23: 7859 | Controlled Atmosphere System for Testing Gas Monitors                        |
| I 28.23: 7860 | Permeability Changes and Compaction of Broken Oil Shale During Retor         |
| I 28.23: 7861 | Atomic Absorption Methods of Analysis of Oilfield Brinde: Barium, Calciur    |
| I 28.23: 7862 | Thermal Characteristics of Shortite Thermal Characteristics of Shortite      |
| I 28.23: 7863 | Effects of Jointing and Bedding Separationon Limestone Breakage at a R       |
| l 28.23: 7864 | Flotation of Carbonate Minerals From Unaltered Phosphae Ores of the Pl       |
| I 28.23: 7865 | A Standard Rock Suite for Rapid Excavation Research                          |
| I 28.23: 7866 | Recovery of Fluorine from Low-Grade Calcereous Fluorspars                    |
| I 28.23: 7867 | Toxic Fumes From Explosives; Ammonium Nitrate-Fuel Oil Mixtures              |
| I 28.23: 7868 | Recovering Copper From Mill Tailings Recovering Copper From Mill Tailings    |
| I 28.23: 7869 | Geologic Structure Analysis Using Radar Imagery of the Coal Mining Are       |
| I 28.23: 7870 | Influence of Manganese Additions Upon Properties of Iron Ore Pellets         |
| I 28.23: 7871 | Determining the Effect of Gasoline Price on the Use of Metals in Automot     |
| l 28.23: 7872 | Coal Mine Combustion Products: Identification and Analysis                   |
| 1 28.23: 7873 | Use of Centrifugal Measurements fo Wettability to Predict Oil Recovery       |
| I 28.23: 7874 | Fracturing Oil Shale With Expjlosives for In Situ Oil Recovery               |
| I 28.23: 7875 | Correlations of Basic Gel Permeation Chromatography Data and Their Ap        |
| I 28.23: 7876 | Noise Dosimeter Performance Noise Dosimeter Performance                      |
| I 28.23: 7877 | Development and Application of the Waste-Plus-Waste Process for Reco         |
| I 28.23: 7878 | Rapid Identification of Copper-Base Alloys by Energy Dispersion X-Ray A      |
| I 28.23: 7879 | Rapid Particle Size Analysis by Hydrosizing and Nuclear Sensing              |
| 1 28.23: 7880 | Recovery of Zinc and Lead From Brass Smelter Dust                            |
| I 28.23: 7881 | Tunneling Machine ResearchTunneling Machine Research                         |
| I 28.23: 7882 | Tunneling Machine ResearchTunneling Machine Research                         |
| I 28.23: 7883 | Correlaton of Laboratory Cutting Data With Tunnel Boring Machine Perfo       |
| I 28.23: 7884 | Waste Lubricating Oil ResearchWaste Lubricating Oil Research                 |
| I 28.23: 7885 | Peak Methane Concentrations During Coal Mining                               |
| I 28.23: 7886 | Field Studies on an Unsupported Roof, York Canyon Coal Mine, Raton, N        |
| I 28.23: 7887 | Laboratory Determination of Factors Affecting Storage of North Dakota Li     |
| I 28.23: 7888 | X-Ray Study of the Structure of Cokes Carbonized at Different Temperati      |

| 10000 7000           | 0 10 1 5%   |
|----------------------|---|
| I 28.23: 7889        | Sound-Order Effects in the Kinetics of Oil Shale Pyrolysis                      |
| 1 28.23: 7890        | Combination Model for Simulating Transient Gas Flow in a Vertically Frac        |
| I 28.23: 7891        | Performance Characteristics of Coal-Washing Equipment: Hydrocyclones            |
| I 28.23: 7892        | Laboratory Experiments in Electrokinetic Densification of Mill Tailings         |
| I 28.23: 7893        | Compound-Type Separation and Characterization Studes for a 370o to 5            |
| I 28.23: 7894        | Improvements in the Three-Component Borehole Deformation Gage and               |
| I 28.23: 7895        | Thermodynamics of the Al-Si SystemThermodynamics of the Al-Si System            |
| I 28.23: 7896        | Methods and Costs for Stabilizing Fine-Sized Mineral Wastes                     |
| I 28.23: 7897        | Geochemistry of Liquids, Gases, and Rocks From the Smackover Forma              |
| I 28.23: 7898        | Corrosion of Commercial Allos in Three Environments Simulatiing Phosp           |
| I 28.23: 7898/errata | Corrosion of Commercial Allos in Three Environments Simulatiing Phosp           |
| I 28.23: 7899        | The Error in Gas Drive Calculations Caused by Ignoring Compressibility a        |
| I 28.23: 7900        | Laboratory Experiments in Electrokinetic Densification of Mill Tailings Part II |
| I 28.23: 7901        | Blast-Produced Fractures in Lithonia Granite                                    |
| I 28.23: 7902        | Spark-Shower Radiance of Metal Grinding Sparks                                  |
| I 28.23: 7903        | Gas Chromatographic Method for Analyzing Gases Associated With Coal             |
| I 28.23: 7904        | Detecting and Sorting Disseminated Native Copper Ores                           |
| I 28.23: 7905        | Detonation Calculations With a Percus-Yevick Equation of State                  |
| I 28.23: 7906        | Reduction of Tetravalent Cerium and Its Application to Stripping From Tri       |
| 1 28.23: 7907        | Mine Roof Reinforcement by Specifically Designed Epoxy Resin Systems            |
| 1 28.23: 7908        | Mathematical Study of Propagating Flalme and Its Induced Aerodynamics           |
| 1 28.23: 7909        | Fast Pulse Processing for Gamma-Ray Spectroscopy                                |
| I 28.23: 7910        | Cleat in Bituminous Coal Beds Cleat in Bituminous Coal Beds                     |
| I 28.23: 7911        | Optimum Gas Saturation for Maximum Oil Recovery From Displacement               |
| I 28.23: 7912        | Deformation Monitoring of Undergroung Openings by Photographic Tech             |
| I 28.23: 7913        | Recovery of Lead From Galena by a Leach Electrolysis Procedure                  |
| 1 28.23: 7914        |   |
| 1 28.23: 7915        | Copper Removal From Molten Ferrous ScrapL A Pilot Plant Study                   |
|                      | Dielectric Constants and Dissipation Factors fo Simulated Lunar Rocks           |
| I 28.23: 7916        | Using Sulfur Hexafluoride as a Gaseous Tracer to Study Ventilation Systems      |
| I 28.23: 7917        | Tracer Gas as an Aid in Mine Ventilation Analysis                               |
| I 28.23: 7918        | Identification of γ - Valerolactone in Waste Water From an Oil-Shale In Situ    |
| I 28.23: 7919        | Electrochemical Kintetics of the Reaction of Titanium Metal With Titanium       |
| 1 28.23: 7920        | Evaluating Plastic Scintillators for Detecting Prompt Gamma Rays in Con         |
| I 28.23: 7921        | Retorting Indexes for Oil-Shale Pyrolyses from Ethylent-Ethane Ratios of        |
| 1 28.23: 7922        | Steam Pyrohydrolysis of Hydrous Magnsium Chlorides                              |
| 1 28.23: 7923        | Properties of Utah Tar SandsThreemile Canyon Area, P.R. Spring Depo             |
| I 28.23: 7924        | Thermal Degradation of Green River Kerogen at 150 degrees to 350 deg            |
| I 28.23: 7925        | Waste Lubricating Oil ResearchWaste Lubricating Oil Research                    |
| I 28.23: 7926        | Vapor Phase Reduction of Lead Sulfide   |
| I 28.23: 7927        | Removal of Lead and Zince and the Production of Prereduced Pellets Fro          |
| I 28.23: 7928        | Recovery of Feldspar and Glass Sand From Georgia Waste Granite Fines            |
| I 28.23: 7929        | Thermal Energy Recovery by Basic Oxygen Furnace Offgas Preheating of            |
| I 28.23: 7930        | Incendivity of Some Coal-Cutter Materials by Impact-Abrasion in Air-Meth        |
| I 28.23: 7931        | Hydrogen Peroxide Precipitaton of Uranium                                       |
| I 28.23: 7932        | Recovering Vanadim From Dolomitic Nevada Shale                                  |
| I 28.23: 7933        | Source and Control of Nitride Inclusions in Titanium                            |
| I 28.23: 7934        | Pioneering Experiments on the Coreduction of Titanium, Aluminum, and '          |
| I 28.23: 7935        | Drilling and Sampling Tertiary Gold-Bearing Gravels at Badger Hill, Neva        |
| I 28.23: 7936        | Reducing Surface Hot Shortness of Copper-Containing Steels Using Silic          |
| I 28.23: 7937        | Vibrations From Underground Blasting  |
| I 28.23: 7938        | Processing High-Resolution Mass Spectrographic Plats With A Compara             |
| I 28.23: 7939        | Seepage-Environmental Analysis of the Slime Zone of a Tailings Pond             |
|                      |   |

| I 28.23: 7940                  | Low-Temperature Heat Capacities of Sphalerite and Wurtzite   |
|--------------------------------|--|
| I 28.23: 7941                  | Tube-Wall Methanation Reactors With Combine Diffusion and Kinetic Re   |
| l 28.23: 7942                  | Improved Electrical Resistivity Field System for Shallow Earth Measurem  |
| I 28.23: 7943                  | Phases and Interdiffusion Between Titanium and its Mononitride   |
| I 28.23: 7944                  | Muliple-Orifice Feeder for Fine Particles  |
| l 28.23: 7945                  | Compound-Type Separation and Characterization Studes for a 370o to 5   |
| l 28.23: 7946                  | Coal Mine Dust Incombustibles Content Analyzer Using a Gamma-Ray B   |
| I 28.23: 7947                  | Removal of Hydrogen Sulfide From Hot Producer Gas by Solid Aborbents   |
| l 28.23: 7948                  | Continuous Heavy Liquid Concentration of Brucite   |
| l 28.23: 7949                  | Room Temperature Tensile Properties of Titanium and Seven Titanium A   |
| l 28.23: 7951                  | A Continuous-Recording Methanometer for Exhaust Fan Monitoring   |
| l 28.23: 7952                  | Relationship of Earth Fracture Systems to Productivity of a Gas Storage I  |
| l 28.23: 7953                  | Aqueous Reduction of Chalcopyrite Concentrate With Metals  |
| l 28.23: 7954                  | Thermal Diffusivity of Six Igneous Rocks at Elevated Temperatures and F  |
| l 28.23: 7955                  | Recycling Plastics From Urban and Industrial Refuse  |
| l 28.23: 7956                  | Ultraviolet-Visible and Infrared Emisson Spectra of Propagating Methane  |
| l 28.23: 7957                  | Cost of Producing Copper From Chalcopyrite Concentrate ad Related to   |
| l 28.23: 7958                  | Strengthening Molybdenum by Powder Metallurgical Internal Oxidation  |
| I 28.23: 7959                  | Waterflooding of Oilfields in ColoradoWaterflooding of Oilfields in Colorado   |
| I 28.23: 7960                  | Evaluation of a Novel Electrophoretic Separation Method to Remvoe Pyri   |
| I 28.23: 7961                  | Tunnel Boring TechnologyTunnel Boring Technology   |
| l 28.23: 7962                  | In Situ Determination of Rock Behavior by Overcore Stress Relief Method  |
| l 28.23: 7963                  | Infrared Spectra of Compound of Importance in Lead Sulfide Formation   |
| I 28.23: 7964                  | Physical Property Data on Coal Waste Embankment Materials  |
| I 28.23: 7965                  | Low-Temperature Evolution of Hydrocarbon Gases From Coal   |
| I 28.23: 7966                  | Effect of Impurities and Additive on the Electrowinning of Zinc  |
| I 28.23: 7967                  | A New Method of Analysis to Obtain Exact Solutions for Stresses and Str  |
| I 28.23: 7968                  | Degasification of the Mary Lee Coalbed Near Oak Grove, Jefferson Cour  |
| I 28.23: 7969                  | Methane in the Pittsburgh Coalbed, Washington County, Pa.  |
| I 28.23: 7970                  | Oxidation of Mixed Iron and Copper Cholorides  |
| I 28.23: 7971                  | Mine Roof Simualator Mine Roof Simualator  |
| l 28.23: 7972                  | Development of Titanium Load Cells for Support Load Determination  |
| I 28.23: 7973                  | Waste Lubricating Oil ResearchWaste Lubricating Oil Research   |
| I 28.23: 7974                  | Qualitative Characterization of 370o to 530o C Aromatic Concentrates of  |
| I 28.23: 7975                  | Detection and Delineation of Faults by Surface Resistivity Measurements  |
| I 28.23: 7976                  | Mine Page to Public Telephone Mine Page to Public Telephone  |
| I 28.23: 7977                  | Coal Mine Combustion ProductsCoal Mine Combustion Products   |
| I 28.23: 7978                  | Solvent Simulation Tests in Two California Oilfields   |
| I 28.23: 7979                  | Microdetermination of Volatile Matter and Rock Dust Concentration of Air   |
| I 28.23: 7980                  | Increasing Fluosilicic Acid Evolution From Phosphate Rock by Digestion   |
| I 28.23: 7981                  | Carbon Steel From Prereduced PelletsAcid Practice  |
| I 28.23: 7982                  | Washing Fine-Size Coal in a Dense-Medium Cyclone   |
| l 28.23: 7983                  | Compression Testing of Rock in Simulatied Lunar Environment  |
| l 28.23: 7984                  | Pulsed Nuclear Magnetic Resonance Studies of Oil ShalesEstimation o  |
| I 28.23: 7985                  | synthesis of Rutile From Domestic Ilmenites  |
| I 28.23: 7986                  | Electrochemical Anodic Reaction Tate of Vanadium Methal With Molten \  |
| I 28.23: 7987                  |  |
| 1 28.23: 7988                  | Statistical Analysis of Methane Concentration Fluctuations Produced by I<br>Emission Charactersitics of a Prime Mover for Hybrid Vehicle Use |
| 1 28.23: 7989                  | · · · · · · · · · · · · · · · · · · ·  |
| 1 28.23: 7989<br>I 28.23: 7990 | A Mathematical Model to Guide the Discovery of Ore Bodies in a Coeur E   |
|                                | Recovery and Separation of Rare-Earth Elements, Barium, and Strontium  |
| l 28.23: 7991                  | Ventilation Eddy Zones at a Model Coal Mine Working Face   |
| I 28.23: 7992                  | Elemental Composition of Coal Mine Dust  |
|                                |  |

| I 28.23: 7993      | Thermodynamic Propertied of the Al-Ni System                                 |
|--------------------|--|
| I 28.23: 7994      | Application of Large-Hole Burn Cut in Room-and-Pillar Mining                 |
| I 28.23: 7995      | Oil Shale Retorting in a 150-Tom Batch-Type Pilot Plant                      |
| I 28.23: 7996      | Double Roast-Leach-Electrowiring Process for Chalcopyrite Concentrates       |
| I 28.23: 7997      | Analysis of Tipple and Delivered Samples of Coal Collected During Fisca      |
| I 28.23: 7998      | Noise Abatement of Pneumatic Rock Drill                                      |
| I 28.23: 7999      | Use of Vacutainers for collection Of Mine Atmosphere Samples                 |
| I 28.23: 8000      | Experiments in Treating Zinc-Lead Dust From Iron Foundries                   |
| I 28.23: 8001      | Engineering Properties of Fiber-Reinforced and Polymer-Impregnated Sc        |
| I 28.23: 8002      | Chlorination Kinetics of Selected Metal Sulfides                             |
| I 28.23: 8003      | Properties of Utah Tar SandsSouth Seep Ridge Area, P. R. Spring Dep          |
| I 28.23: 8004      | Continuous Charging and Preheating of Prereduced Iron Ore                    |
| I 28.23: 8006      | Lime Roast-Leach Method for Treating Chalcopyrite Concentrate                |
| I 28.23: 8007      | Improvements in Ferrci Chloride Leaching of Chalcopyrite Concentrate         |
| I 28.23: 8008      | Determination of Carbonate Minerals of Green River Formation Oil Shale       |
| I 28.23: 8009      | Methane Analyzer System to Record Continuously the Methane Content           |
| l 28.23: 8009 c. 2 | Methane Analyzer System to Record Continuously the Methane Content           |
| I 28.23: 8010      | Accuracy and Precision of Several Portable Gas Detectors                     |
| I 28.23: 8011      | Producing SNG by Hydrogasifying In Situ Crude Shale Oil                      |
| I 28.23: 8012      | Prompt Copper Recovery From Mine Strip Waste                                 |
| I 28.23: 8012 c. 2 | Prompt Copper Recovery From Mine Strip Waste                                 |
| I 28.23: 8013      | Conversion of Cellolosic Wastes to OilConversion of Cellolosic Wastes to Oil |
| I 28.23: 8014      | Airborne Respirable Dust Generated During Cutting of Coal With Water J       |
| I 28.23: 8014 c. 2 | Airborne Respirable Dust Generated During Cutting of Coal With Water J       |
| I 28.23: 8015      | Methane Buildup Hazards Caused by Dust Scrubbber Recirculation at Co         |
| I 28.23: 8016      | Numerical Simulation of Flame Induced Aerodynamics in a Coal Mine Pa         |
| I 28.23: 8017      | Compositional Variations of Organic Material From Green Rivr Oil Shale-      |
| I 28.23: 8018      | Thermal Reactions of Shale-Oil Components: Plant Pigments as Probabl         |
| I 28.23: 8019      | Chemical Flame Inhibition Using Molecular Beam Mass Spectrometry             |
| 1 28.23: 8020      | Rock Fragmenttion by High-Frequency Fatigue                                  |
| I 28.23: 8021      | Structural Response of Propped Fractures in Green River Oil Shale as it      |
| I 28.23: 8022      | Geologic Investigations of Underground Coal Mining Problems                  |
| I 28.23: 8023      | Development and Utility of Reactivity Scales From Smog Chamber Data          |
| I 28.23: 8024      | Crude Oil Spills Research Crude Oil Spills Research                          |
| I 28.23: 8025      | Commercial-Quality Gas From a Mulitpurpose Borehole Located in the Pi        |
| I 28.23: 8026      | Methane in the Pittsburgh Coalbed, Greene County, Pa.                        |
| I 28.23: 8027      | Recovery of Nickel and Cobalt From Low-Grade Domestic Laterites              |
| I 28.23: 8028      | Electrophoretic and Filtration Studies of a Florida Phosphate Slime          |
| I 28.23: 8029      | Chemical Flame Inhibition Using Molecular Beam Mass Spectrometry             |
| I 28.23: 8030      | Properties of Utah Tar Sands-Asphalt Wash Ares, P.R. Spring Deposit          |
| I 28.23: 8031      | Source of Solids in Injection Waters, Wilmington Field, California           |
| I 28.23: 8032      | Sunbstitution of Phosphate Slime for Bentonite in Geothemal Well Drilling    |
| I 28.23: 8033      | Capital and Labor Requirements for Iron Ore Mining and Beneficiating         |
| I 28.23: 8034      | Limited Field Tests in Electrokinetic Densification of Mill Tailings         |
| I 28.23: 8035      | Optical Detection of Fires and Explosions                                    |
| I 28.23: 8036      | Polymeric Materials for Sealing Radon Gas Into the Walls of Uranium Mi       |
| I 28.23: 8037      | Evaluation of Steel Made With Ferrous Fractions From Urban Refuse            |
| I 28.23: 8038      | Precision Tests of Neutron Sulfur Meter in Coal Preparation Plant            |
| I 28.23: 8039      | Converting Stainless Steel Furnace Flue Dusts and Wastes to a Recyclal       |
| 1 28.23: 8040      | Optimum Automotive Use of the Combustion Characteristics of Gas From         |
| I 28.23: 8041      | Thermodynamic Data for Mg(OH)2 (Brucite)                                     |
| 1 28.23: 8042      | Effect of Depth of Cut and Bit Type on the Generation of Respirable Dust     |
|                    |  |

| I 28.23: 8043        | Measuring the Methane Content of Bituminous Coalbeds                         |
|----------------------|--|
| I 28.23: 8044        | Characterizing Combustible Portions of Urban Refuse for Potential Use a      |
| I 28.23: 8045        | Low-Temperature Heat Capacities and Enthalpy of Formation of Copper          |
| I 28.23: 8047        | Hydraulic Stimulation Increases Degasification Rate of Coalbeds              |
| I 28.23: 8048        | Evaluation of an 8-Foot-Diameter Flexible Liner Installation in the Burgin   |
| I 28.23: 8049        | Recovering Metal From Nonmagnetic Auto-Shredder Reject                       |
| I 28.23: 8050        | Methods for Sampling Noncombustible Content of Coal Mine Dust                |
| I 28.23: 8051        | Evaluation of Small, Color-Changing Carbon Monoxide Dosimeters               |
| I 28.23: 8052        | Replacing Brattice Cloth at Coal Faces With Air Curtains and Diffuser Far    |
| I 28.23: 8053        | Electrolytic Preparation of Titanium and Zirconium Diborides From Their      |
| I 28.23: 8054        | Isotopic Purification of Helium by Differential Distillation Below the Lambo |
| I 28.23: 8055        | Improved Method to Predict Multiphase Waterflood Performance For Cor         |
| I 28.23: 8056        | Using Oxygen to Reactiviate a Nearly Dormant Copper Sulfide Leach            |
| I 28.23: 8057        | Thermomechanical Method for Secondary Breakage of Hard Rocks                 |
| I 28.23: 8058        | Laboratory Studies of Yielding Rock Bolts                                    |
| I 28.23: 8059        | Composition of Lead Sinter Composition of Lead Sinter                        |
| I 28.23: 8060        | Continuous Monitoring System fro Mine Gas Concentrations Using Tube          |
| I 28.23: 8061        | Fluosilicic Acid Acidulation of Phosphate Rock                               |
| I 28.23: 8062        | Physical Property Data on Fine Coal Refuse                                   |
| I 28.23: 8063        | Decomposition Reactions of Nitrogen Oxides in Direct Current Glow Disc       |
| I 28.23: 8064        | Dust Suppression With Water Sprays During Continuous Coal Mining Op          |
| I 28.23: 8066        | Two-Phase Flow in Coalbeds Two-Phase Flow in Coalbeds                        |
| I 28.23: 8068        | Dust Generation and Comminution of Coal                                      |
| I 28.23: 8069        | Elastic-Plastic Stability Analysis of Mine-Waste Embankments                 |
| I 28.23: 8070        | Blasting Tests in a Porphyry Copper Deposit in Preparation for In Situ Ex    |
| I 28.23: 8072        | Detection and Delineation of Faults by Surface Resistivity Measurements      |
| I 28.23: 8073        | Drillability DeterminationA Drillabillity Index for Percussion Drills        |
| I 28.23: 8074        | Recovery of Silicon Carbide From Granite Sludge                              |
| I 28.23: 8075/errata | Electrokinetic Densification of Hydraulic BackfillA Field Test               |
| I 28.23: 8076        | Electrowinning of Copper From Chloride Solutions                             |
| I 28.23: 8077        | Effect of Rock Dust on Explosibility of Coal Dust                            |
| I 28.23: 8079        | Nitride Intermediates in the Preparation of Colubium, Vanadium, and Tan      |
| I 28.23: 8080        | Preventing Formation of Copper Alloys of Tin, Anitmony, and Arsenic on       |
| I 28.23: 8081        | Continuous Flotation of High-Clay Potash Ores                                |
| I 28.23: 8082        | Noise Reduction of a Pneumatic Rock Drill                                    |
| I 28.23: 8083        | Recovery of Mercury form Cinnabar Ores by Electrooxidation                   |
| I 28.23: 8084        | Copper-Nickel Mineralization in a Drill Cores From the Dututh Complex of     |
| I 28.23: 8085        | Impact and Thermal Sensitivity of Commercial Detonators                      |
| I 28.23: 8086        | Phosphoric Acid by Direct Sulfuric Acid Digestion of Florida Land-Pebble     |
| I 28.23: 8087        | Studies of Sand-Sulfur-Asphalt Paving Materials                              |
| I 28.23: 8088        | Recovery and Separation of Molybdenum and Rhenium From a Process             |
| I 28.23: 8089        | Characterization Studies of Florida Phosphate Slimes                         |
| I 28.23: 8090        | Evaluation of Refractories for Mineral Wool Furnaces                         |
| I 28.23: 8091        | Recovering Polyurethane Foam and Other Plastics From Auto-Shredder           |
| I 28.23: 8092        | Lead-Zinc Extraction From Concentrates by Electrolytic Oxidation             |
| I 28.23: 8093        | Selected Geologic Factors Affecting Mining of the Pittsburgh Coalbed         |
| I 28.23: 8094        | Improved Properties of Lead-Anitmony Alloys by Thermomechanical Trea         |
| I 28.23: 8095        | Cutting Experiments Using a Rotating Water Jet in a Borehole                 |
| I 28.23: 8096        | Free Energies of Formation of Ferrous and Ferric Fluoride by Electromoti     |
| I 28.23: 8097        | Rotary Drilling Holes in Coalbeds for Degasification                         |
| I 28.23: 8098        | Copper Cementation in a Revolving -Drum Reactor, A Kinetic Study             |
| I 28.23: 8099        | Radium Removal From Uranium Ores and Mill Taillings                          |
|                      |  |

| I 28.23: 8100      | Data-Acquisition System for Radon Monitoring                                 |
|--------------------|--|
| I 28.23: 8101      | Tilt Precursors in Rock Before Failure: A Laboratory Investigation           |
| I 28.23: 8102      | Development of Two New Oxygen Self-Rescuers                                  |
| I 28.23: 8103      | Nitride Intermediates in the Preparation of Columbium, Vanadium, and Ta      |
| I 28.23: 8104      | Waste Glass as a Raw Material for Lightweight Aggregate                      |
| I 28.23: 8105      | Ferric Chloride-Brine Leaching of Galena Concentrate                         |
| I 28.23: 8106      | Electrothermal Fracture of Copper Shale                                      |
| I 28.23: 8107      | Coal Mine Combustion Products: Conveyor Belts                                |
| I 28.23: 8108      | Electrophysical Considerations of the Activation of Sphalerite for Flotation |
| I 28.23: 8109      | Hydrochloric Acid Digestion and Solvent Extraction of Western Phosphates     |
| I 28.23: 8110      | Metal Recovery by Dismantlling of Scrapped Starter Motors, Auto Genera       |
| I 28.23: 8111      | Lead Dioxide-Plated Titanium Anode for Eletrowinning Metals From Acid        |
| I 28.23: 8112      | Geologic and Ground-Control Aspects of and Experimental Shortwall Ope        |
| I 28.23: 8113      | Dewatering Electrochemical Machining Sludge                                  |
| I 28.23: 8114      | Reduction of Zinc Sulfide With IronReduction of Zinc Sulfide With Iron       |
| I 28.23: 8115      | Analysis of Tipple and Delivered Samples of Coal Collected During Fisca      |
| I 28.23: 8116      | Determining Cleat Orientation of Deeper Coalbeds from Overlying Coals        |
| I 28.23: 8117      | Methane Gas Content of the Mary Lee Group of Coalbeds, Jefferson, Tus        |
| I 28.23: 8118      | Sulfure Reduction Potential of the Coals of the United States                |
| I 28.23: 8119      | Mass Spectometer Method for Determining Parts per Billion Helium-3 in I      |
| I 28.23: 8120      | Use of Surface Joing and Photolinear Data For Prediciting Subsurface Co      |
| I 28.23: 8121      | Waterflooding of Oilfields in MontanaWaterflooding of Oilfields in Montana   |
| I 28.23: 8122      | Oil and Gas Seeps in Alaska Oil and Gas Seeps in Alaska                      |
| I 28.23: 8123      | A New Sulfur Dioxide-Free Process for Recovering Lead From Battery Sc        |
| I 28.23: 8124      | Effect of Environment on Friction and Wear Between Quartz and Steel          |
| I 28.23: 8125      | Investigation of a Cell Design for Electrowinning Zirconium Metal From Zi    |
| I 28.23: 8126      | Strength of Cemented Hydraulic Sandfill Modified by Flocculants              |
| I 28.23: 8127      | The Theory of Flammability Limits The Theory of Flammability Limits          |
| I 28.23: 8128      | A Method for Computing Stabilization Pressures for Excavations in Incom      |
| I 28.23: 8129      | Thermodynamic Data for Synthetic Dawsonite                                   |
| I 28.23: 8130      | Dust Dispersall by Explosion-Induced Airflow                                 |
| I 28.23: 8131      | Production of Blister Copper by Electric Furnace Smelting of Dead-Burne      |
| I 28.23: 8132      | Methane Emissions From and Advancing Coal Mine Section oin the Pitts         |
| I 28.23: 8133      | Recovery of Zinc from Zinc Chloride by Fused-Salt Electrolysis               |
| I 28.23: 8134      | Laser Alinement Sensor for Continuous Mining Machines                        |
| I 28.23: 8135      | Thermal History of Rock Dust Particles in A Gas Flame Preheat Zone           |
| I 28.23: 8136      | Oil snd Gas Seeps in Alaska North-Central Gulf of Alaska                     |
| I 28.23: 8137      | Geological Factors Affecting Methane in ghe Beckley Coalbed                  |
| I 28.23: 8138      | Seismic Equipment Used in Rock-Burst Control in the Coeur d'Alene Min        |
| I 28.23: 8139      | An Ice-Cooling Garment for Mine Rescue Teams                                 |
| I 28.23: 8140      | Producing Synthetic Rutile From Ilmenite by Pyrometallurgy                   |
| I 28.23: 8141      | Size Distribution and Mass Output of Particulates From Diesel Engine Ex      |
| I 28.23: 8141 C. 2 | Size Distribution and Mass Output of Particulates From Diesel Engine Ex      |
| I 28.23: 8142      | Three Coal Mine Ventilation Studies Using Sulfur Hexaflouride Tracer Gas     |
| I 28.23: 8143      | A Conceptual Model for the Role of Oxygen in Xanthate Adsorption on G        |
| I 28.23: 8144      | Smelting of Arseniferous Copper Concentrate in and Electric-Arc Furnace      |
| I 28.23: 8145      | Extraction and Recovery of Molybdenum and Rhenium From Molybdentie           |
| I 28.23: 8146      | Electrodeposition of Titanium Diboride Coatings                              |
| I 28.23: 8147      | Steel From Urban Waste Steel From Urban Waste                                |
| I 28.23: 8148      | Calibration Models for Geophysical Borehole Logging                          |
| I 28.23: 8149      | Roasting Nonmagnetic Taconites in a Fluid Bed Using Low-Rank Fuels a         |
| I 28.23: 8150      | Magnesium Oxysulfate Cement Sealant in Coal Mines                            |
|                    |  |

| I 28.23: 8151   | Applying Computer-Drawn Maps of Geologic Data to Analysis of Mining F  |
|---|--|
| I 28.23: 8152   | Physical Desulfurization of Fine-Size Coals on a Spiral Concentrator   |
| I 28.23: 8153   | A Spiral Sequential Sampler for Air and Liquids  |
| I 28.23: 8154   | Beneficiation of Unweathered Indian Calcereous Phosphate Rock by Cal   |
| I 28.23: 8155   | Modification of Bureau of Mines BERC Rock Dust Meter   |
| I 28.23: 8156   | Automated Borehole Surveying System for Steeply Inclined Cased Boreh   |
| I 28.23: 8157   | The Reactiviy of Aluminized AN-FO With Pyrite-Bearing Ores   |
| I 28.23: 8158   | Seismic Detection of Trapped Miners Using In-Mine Geophones  |
| I 28.23: 8159   | An Electromagnetic System for Detecting and Locating Trapper Miners  |
| I 28.23: 8160   | Development and Testing of Superior Sulfur Concretes   |
| I 28.23: 8161   | A Support-Performance Prediction Method for Hydraulic Backfill   |
| I 28.23: 8162   | An Evaluation of Emergency Inflatable Stoppings for Uses in Metal Mine   |
| I 28.23: 8163   | Constant-Volume Flame Propagation: Finite-Sound-Speed Theory   |
| I 28.23: 8164   | Enthalpy of Formation and Low-Temperature Heat Capacities of Basic Al  |
| I 28.23: 8165   | Fluidized Coke-Bed Chlorination of Ilmenites   |
| I 28.23: 8166   | Recovery of Lead From Lead Chloride by Fused-Salt Electrolysis   |
| I 28.23: 8167   | Reflective and Emittance of Spectrally Selective Titanium and Zirconium  |
| I 28.23: 8168   | Noise and Vibrations in Residential Structures From Quarry Production B  |
| I 28.23: 8169   | Recovering Gold From Scrap Electronic Solders by Drossing  |
| I 28.23: 8170   | Water Barrieres for Suppressing Coal Dust Explosions   |
| I 28.23: 8171   | Multipoint Detection of Products of Combustion with Tube Bundles   |
| I 28.23: 8172   | Free Energies of Formation of Chromous, Chromic, and Chromium (II,III)   |
| I 28.23: 8173   | Degasification and Production of Natural Gas From an Air Shaft iln the Pi  |
| I 28.23: 8174   | Recovering Aluminum From a Copper Leach Liquor by Ion Exchange, An   |
| I 28.23: 8175   | Sampling Capability of Vacutainers for Fixed Gases and Low-Molecular-\   |
| I 28.23: 8176   | Flame and Pressure Development of Large-Scale CH4 -Air-N2 Explosions   |
| I 28.23: 8177   | Using Inflatable Stoppings During Production in Noncoal Mines  |
| I 28.23: 8178   | Temperature Investigations on Resin-Anchored Bolts   |
| I 28.23: 8179   | Metallization of Pelletized, Domestic, Iron Oxide Superconcentrates With   |
| I 28.23: 8180   | Beneficiation of Nonmagenetic Taconites by Selective Flocculation-Catio  |
| I 28.23: 8181   | Vapor-Liquid Equilbria Data for Two Helium-Nitrogen-Methane Mixtures F   |
|   | vapor Elquia Equibila Bata for 1 Wo Floriam Fitti ogon Motifacio Fi  |
| I 28 23: 8182   | Powder Metallurgy of Raney NickelPowder Metallurgy of Raney Nickel   |
| I 28.23: 8182   | Powder Metallurgy of Raney NickelPowder Metallurgy of Raney Nickel  Effect of Copper and Tip on Mechanical Properties of Hot-Rolled 0.2 Wt-I   |
| I 28.23: 8183   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-F   |
| I 28.23: 8183<br>I 28.23: 8184  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating   |
| I 28.23: 8183<br>I 28.23: 8184<br>I 28.23: 8185   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I<br>Preparing Supported Raney Nickel Catalysts by Dip Coating<br>Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits  |
| I 28.23: 8183<br>I 28.23: 8184<br>I 28.23: 8185<br>I 28.23: 8186  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock  |
| I 28.23: 8183<br>I 28.23: 8184<br>I 28.23: 8185<br>I 28.23: 8186<br>I 28.23: 8187   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates  |
| I 28.23: 8183<br>I 28.23: 8184<br>I 28.23: 8185<br>I 28.23: 8186<br>I 28.23: 8187<br>I 28.23: 8188  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors.   |
| I 28.23: 8183<br>I 28.23: 8184<br>I 28.23: 8185<br>I 28.23: 8186<br>I 28.23: 8187<br>I 28.23: 8188<br>I 28.23: 8189   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, A  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, F Electrokinetic Consolidation of Slimes in and Underground Mine   |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, F Electrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, Felectrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers   |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, A Electrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, Felectrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection   |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, Felectrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection Longwall Gov Degasification with Surface Ventilation Boreholes Above th   |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195<br>1 28.23: 8196  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, A Electrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection Longwall Gov Degasification with Surface Ventilation Boreholes Above th Smelting Prereduced Nickel Concentrate in an Electric Arc Furnace  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195<br>1 28.23: 8196<br>1 28.23: 8197   | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates  Amine Extraction of Iron From Aluminum Chloride Leach Liquors.  Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, A Electrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection Longwall Gov Degasification with Surface Ventilation Boreholes Above th Smelting Prereduced Nickel Concentrate in an Electric Arc Furnace Dewatering and Densification of Coal Waste by Direct CurrentLaborator  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195<br>1 28.23: 8196<br>1 28.23: 8197<br>1 28.23: 8198  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates Amine Extraction of Iron From Aluminum Chloride Leach Liquors. Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, A Electrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection Longwall Gov Degasification with Surface Ventilation Boreholes Above th Smelting Prereduced Nickel Concentrate in an Electric Arc Furnace Dewatering and Densification of Coal Waste by Direct CurrentLaborator Use of Shredded Automobile Scrap for Copper Cementation  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195<br>1 28.23: 8196<br>1 28.23: 8197<br>1 28.23: 8198<br>1 28.23: 8198<br>1 28.23: 8199                  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates  Amine Extraction of Iron From Aluminum Chloride Leach Liquors.  Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, Felectrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection Longwall Gov Degasification with Surface Ventilation Boreholes Above th Smelting Prereduced Nickel Concentrate in an Electric Arc Furnace Dewatering and Densification of Coal Waste by Direct CurrentLaborator Use of Shredded Automobile Scrap for Copper Cementation Thermodynamic Properties of rhenium Oxides, 8 to 1,400 K  |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195<br>1 28.23: 8196<br>1 28.23: 8197<br>1 28.23: 8198<br>1 28.23: 8199<br>1 28.23: 8199<br>1 28.23: 8200 | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates  Amine Extraction of Iron From Aluminum Chloride Leach Liquors.  Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, Felectrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection  Longwall Gov Degasification with Surface Ventilation Boreholes Above th Smelting Prereduced Nickel Concentrate in an Electric Arc Furnace Dewatering and Densification of Coal Waste by Direct CurrentLaborator Use of Shredded Automobile Scrap for Copper Cementation Thermodynamic Properties of rhenium Oxides, 8 to 1,400 K  Gas Diffusion Membrane Electrode to Determine SO2 in Presence of SO3 |
| 1 28.23: 8183<br>1 28.23: 8184<br>1 28.23: 8185<br>1 28.23: 8186<br>1 28.23: 8187<br>1 28.23: 8188<br>1 28.23: 8189<br>1 28.23: 8190<br>1 28.23: 8191<br>1 28.23: 8192<br>1 28.23: 8193<br>1 28.23: 8194<br>1 28.23: 8195<br>1 28.23: 8196<br>1 28.23: 8197<br>1 28.23: 8198<br>1 28.23: 8198<br>1 28.23: 8199                  | Effect of Copper and Tin on Mechanical Properties of Hot-Rolled 0.2 Wt-I Preparing Supported Raney Nickel Catalysts by Dip Coating Reduction of Dust and Energy During Coal Cutting Using Point-Attack Bits Influence of Surface-Active Chemicals on Drilling and Fracturing Rock Thermodynamic Properties of Two Lithium Silicates  Amine Extraction of Iron From Aluminum Chloride Leach Liquors.  Geology of the Mary Lee Group of Coalbeds, Black Warrior Coal Basin, Felectrokinetic Consolidation of Slimes in and Underground Mine Dust-Control Studies Using Scale Models of Coal Mine Entries and Minin Locating Miners in Smoke-Filled Mine Openings With Infrared Imagers Field Measurement and Correspoding Finite-Element Analysis of Closure Velocity-Bases Method for Slope Failure Detection Longwall Gov Degasification with Surface Ventilation Boreholes Above th Smelting Prereduced Nickel Concentrate in an Electric Arc Furnace Dewatering and Densification of Coal Waste by Direct CurrentLaborator Use of Shredded Automobile Scrap for Copper Cementation Thermodynamic Properties of rhenium Oxides, 8 to 1,400 K  |

| I 28.23: 8203 | Low-Temperature Heat Capacities and Enthalpy of Formation of Aluminu     |
|---------------|--|
| I 28.23: 8204 | Detection of Filimentous Iron Bacteria in Open Recirculating Cooling Wat |
| I 28.23: 8205 | Fluorine Recovery From Phosphate Rock Concentrates                       |
| I 28.23: 8206 | Studies of Incipient Combustion and Its Detection                        |
| I 28.23: 8207 | Vapor-Pressure Measurement by Effusion Methods                           |
|               |  |